

Device and installation markers / Maxicard, Length: 6 mm, Width: 12 mm, Colour: White

RAL: 9010

3884.7 MC GS 6x12 R WH

Business data

| | |
|--|---|
| Article number | <u>3884.7</u> |
| Article name | MC GS 6x12 R WH |
| GTIN (EAN) | 4044211154547 |
| For manufacturer type | CONTA-CLIP / Finder (nur ..R-Typ) |
| Packaging unit | 600 |
| Quantity unit | PC |
| Number of markers per card | 120 ST |
| Number of markers per row | 10 ST |
| Weight per piece (not including packaging) | 0.15 g |
| Weight per piece (including packaging) | 0.29 g |
| Unit of weight | G |
| Customs number | 39269097 |
| Country of origin | DE |
| Product description | Device and installation marker / Maxicard |
| Colour | White |

Technical data

Dimensions

| | |
|--------|-------|
| Length | 6 mm |
| Width | 12 mm |

Materials

| | |
|---------------------------|---------------|
| Marker material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |
| Halogen-free | ✓ |

Print

| | |
|---|---|
| Number of characters, horizontal | 4 |
| Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text | 5 |
| Number of characters, vertical | 9 |
| Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text | 3 |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-01-17 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u> | BS-1 | 4044211048365 | 10 ST |

Inlays



Plotter inlay


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1606.0</u> | CCI-10 | 4044211103224 | 1 ST |

##INVERSE##CONTA-ELECTRONICS




Connection adapter for Interface-Relay-Compact (IRC) with Push-In connection, connection doubler to 2x1.5mm²

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>16354.2</u> | DCA/FIRC | 4044211204655 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16190.2</u> | IRC 6-12-24V AC/DC | 4044211187262 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>16191.2</u> | IRC 110...125V AC/DC | 4044211187279 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16210.2</u> | FIRC 6-12-24V AC/DC | 4044211187453 | 10 ST |




Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16211.2</u> | FIRC 110...125V AC/DC | 4044211187460 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>16213.2</u> | FIRCP 6-12-24V AC/DC | 4044211187484 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16214.2</u> | FIRCP 60V AC/DC | 4044211187491 | 10 ST |




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16215.2</u> | FIRCP 110...125V AC/DC | 4044211187514 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16216.2</u> | FIRCP 230...240V AC | 4044211187507 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VDC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16217.2</u> | FIRCP 110...125V DC | 4044211187521 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16202.2</u> | IRCI 110...125V AC/DC | 4044211187392 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16206.2</u> | IRCO 230...240V AC | 4044211187439 | 10 ST |




Interface-Relay-Compact (IRC) socket base FIRCP with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>16218.2</u> | FIRCP 220V DC | 4044211187538 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRCP with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>16219.2</u> | FIRCP LW 110...125V AC/DC | 4044211187545 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRCP with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16220.2</u> | FIRCP LW 230...240V AC | 4044211187552 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRCI with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 to 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>16221.2</u> | FIRCI 6-12-24V AC/DC | 4044211187569 | 10 ST |

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) socket base FIRC I with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16222.2</u> | FIRCI 110...125V AC/DC | 4044211187576 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC I with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16223.2</u> | FIRCI 230...240V AC | 4044211187583 | 10 ST |




Interface-Relay-Compact (IRC) socket base FIRCO with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>16224.2</u> | FIRCO 6-12-24V AC/DC | 4044211187590 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRCO with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16225.2</u> | FIRCO 110...125V AC/DC | 4044211187606 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16192.2</u> | IRC 230...240V AC | 4044211187286 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16193.2</u> | IRCP 6-12-24V AC/DC | 4044211187293 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>16194.2</u> | IRCP 60V AC/DC | 4044211187309 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16195.2</u> | IRCP 110...125V AC/DC | 4044211187316 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16196.2</u> | IRCP 230...240V AC | 4044211187323 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16203.2</u> | IRCI 230...240V AC | 4044211187408 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16204.2</u> | IRCO 6-12-24V AC/DC | 4044211187415 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16205.2</u> | IRCO 110...125V AC/DC | 4044211187422 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16212.2</u> | FIRC 230...240V AC | 4044211187477 | 10 ST |



Interface-Relay-Compact (IRC) socket base FIRC O with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16226.2</u> | FIRCO 230...240V AC | 4044211187613 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16197.2</u> | IRCP 110...125V DC | 4044211187347 | 10 ST |




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>16198.2</u> | IRCP 220V DC | 4044211187354 | 10 ST |




Interface-Relay-Compact (IRC) socket base IPRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| <u>16199.2</u> | IRCP LW 110...125V AC/DC | 4044211187361 | 10 ST |



Interface-Relay-Compact (IRC) socket base IPRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16200.2</u> | IRCP LW 230...240V AC | 4044211187378 | 10 ST |



Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 to 24 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16201.2</u> | IRCI 6-12-24V AC/DC | 4044211187385 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16230.2</u> | IRCU 1/6V AC/DC | 4044211200145 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16231.2</u> | IRCU 1/12V AC/DC | 4044211200152 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16232.2</u> | IRCU 1/24V AC/DC | 4044211200169 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16233.2</u> | IRCU 1/125V AC/DC | 4044211200176 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>16234.2</u> | IRCU 1/240V AC | 4044211200183 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16235.2</u> | IRCPU 1/6V AC/DC | 4044211200190 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16236.2</u> | IRCPU 1/12V AC/DC | 4044211200206 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16237.2</u> | IRCPU 1/24V AC/DC | 4044211200213 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16238.2</u> | IRCPU 1/60V AC/DC | 4044211200220 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16239.2</u> | IRCPU 1/125V AC/DC | 4044211200237 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16240.2</u> | IRCPU 1/240V AC | 4044211200244 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16241.2</u> | IRCPU 1/125V DC | 4044211200251 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16242.2</u> | IRCPU 1/220V DC | 4044211200268 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16243.2</u> | IRCPU LW 1/125V AC/DC | 4044211200275 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16244.2</u> | IRCPU LW 1/240V AC | 4044211200282 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16245.2</u> | IRCIU 1/6V AC/DC | 4044211200299 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16251.2</u> | IRCOU 1/12V AC/DC | 4044211200343 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16252.2</u> | IRCOU 1/24V AC/DC | 4044211200077 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16253.2</u> | IRCOU 1/125V AC/DC | 4044211200350 | 10 ST |

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16254.2</u> | IRCOU 1/240V AC | 4044211200367 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16260.2</u> | FIRCU 1/6V AC/DC | 4044211200398 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16261.2</u> | FIRCU 1/12V AC/DC | 4044211200404 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16262.2</u> | FIRCU 1/24V AC/DC | 4044211200411 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16263.2</u> | FIRCU 1/125V AC/DC | 4044211200428 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16264.2</u> | FIRCU 1/240V AC | 4044211200435 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16265.2</u> | FIRCPU 1/6V AC/DC | 4044211200442 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16266.2</u> | FIRCPU 1/12V AC/DC | 4044211200459 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16267.2</u> | FIRCPU 1/24V AC/DC | 4044211200466 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16268.2</u> | FIRCPU 1/60V AC/DC | 4044211200473 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16269.2</u> | FIRCPU 1/125V AC/DC | 4044211200480 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16270.2</u> | FIRCPU 1/240V AC | 4044211200497 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16272.2</u> | FIRCPU 1/220V DC | 4044211200510 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16273.2</u> | FIRCPU LW 1/125V AC/DC | 4044211200527 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16274.2</u> | FIRCPU LW 1/240V AC | 4044211200534 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16275.2</u> | FIRCIU 1/6V AC/DC | 4044211200541 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16246.2</u> | IRCIU 1/12V AC/DC | 4044211200305 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16247.2</u> | IRCIU 1/24V AC/DC | 4044211200312 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16248.2</u> | IRCIU 1/125V AC/DC | 4044211200329 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>16249.2</u> | IRCIU 1/240V AC | 4044211200336 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16276.2</u> | FIRCIU 1/12V AC/DC | 4044211200558 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16277.2</u> | FIRCIU 1/24V AC/DC | 4044211200565 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16281.2</u> | FIRCOU 1/12V AC/DC | 4044211200602 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>16282.2</u> | FIRCOU 1/24V AC/DC | 4044211200619 | 10 ST |

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16283.2</u> | FIRCOU 1/125V AC/DC | 4044211200626 | 10 ST |




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16284.2</u> | FIRCOU 1/240V AC | 4044211200633 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16250.2</u> | IRCOU 1/6V AC/DC | 4044211200015 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16271.2</u> | FIRCPU 1/125V DC | 4044211200503 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16278.2</u> | FIRCIU 1/125V AC/DC | 4044211200572 | 10 ST |



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>16279.2</u> | FIRCIU 1/240V AC | 4044211200589 | 10 ST |

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>16280.2</u> | FIRCOU 1/6V AC/DC | 4044211200596 | 10 ST |



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16285.2</u> | MFR FIRCPU 1/12V AC/DC | 4044211200640 | 10 ST |



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16286.2</u> | MFR FIRCPU 1/24V AC/DC | 4044211200657 | 10 ST |



Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16255.2</u> | MFR IRCPU 1/12V AC/DC | 4044211200374 | 10 ST |



Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16256.2</u> | MFR IRCPU 1/24V AC/DC | 4044211200381 | 10 ST |




Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>16207.2</u> | MFR IRCP 12-24V AC/DC | 4044211187446 | 10 ST |

3884.7 MC GS 6x12 R WH

##INVERSE##CONTA-ELECTRONICS



Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-FIRCP with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24 VAC/DC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>16227.2</u> | MFR FIRCP 12-24V AC/DC | 4044211187620 | 10 ST |