



Terminal marker, Length: 10 mm, Width: 5 mm, Colour: White

**RAL:** 9010

### Business data

Article number	<u>28245.7</u>
Article name	PC-CPM-02 E 5X10/48 WH
GTIN (EAN)	4044211211639
For manufacturer type	Weidmüller WDK & WDU, Allen-Bradley, Klemsan, ABB, Wago, Woertz
Packaging unit	1680
Quantity unit	PC
Number of markers per card	48 ST
Weight per piece (not including packaging)	0.26 g
Weight per piece (including packaging)	0.26 g
Unit of weight	G
Customs number	39269097
Country of origin	IT
Prio-Article	28245.7
Product description	Terminal marker

---

### Technical data

---

#### Dimensions

Length	10 mm
--------	-------

Width	5 mm
-------	------

#### Materials

Marker material	Polycarbonate
-----------------	---------------

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	130 °C
---------------------------	--------

Halogen-free	✓
--------------	---

Silicone-free	✓
---------------	---

#### Further technical data

Mounting	Individually
----------	--------------

Software code	22
---------------	----

#### Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

---

### Media

---

---

### Accessories

---

#### Printer

---



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

---

#### Inlays

---

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28042.0</u>	CCI-PC-CPM/SPM	4044211208103	1 ST

---