Data sheet 17015.0 QS 3/120/10





Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 96 mm, Rated cross-section: 120 mm², Colour: natural

Business data

<u>17015.0</u>
QS 3/120/10
4044211131593
10
PC
76.4 g
76.6 g
G
85389099
DE
Cross-connector
Natural

Data sheet





25 mm	
96 mm	
4 mm	
10.6 mm	
34 mm	
34 mm	
3	
Copper	
Tin-plated	
Screwable	
3	
yes	
2023-01-17	
No	
yes	
	96 mm 4 mm 10.6 mm 34 mm 34 mm 3 Copper Tin-plated Screwable 3 yes 2023-01-17 No

Data sheet 17015.0 QS 3/120/10



Media

Data sheet 17015.0 QS 3/120/10



Accessories

##INVERSE##CONTA-CONNECT



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 120 mm², Width: 32 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17003.2	HSK 120/M10 B BG	4044211131487	10 ST



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 120 mm², Width: 32 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17007.2	HSK 120/M10 B/B BG	4044211131524	10 ST