Data sheet 2045.0 AQI 10/5/11 YE





External insulated cross-connector, No. of poles: 10, Mounting type: Plug in, Width: 50.1 mm, Rated current: 27 A; Colour: Yellow

RAL: 1026

Business data

| Dusiness data | |
|--|------------------------------------|
| Article number | 2045.0 |
| Article name | AQI 10/5/11 YE |
| GTIN (EAN) | 4044211048501 |
| Packaging unit | 10 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 2.64 g |
| Weight per piece (including packaging) | 2.65 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | External insulated cross-connector |
| Colour | Yellow |





2045.0 AQI 10/5/11 YE

| Technical data | | |
|----------------------------------|---------------|--|
| Dimensions | | |
| Width | 50.1 mm | |
| Pitch size | 5 mm | |
| Ratings | | |
| Rated current | 27 A | |
| Contamination degree | 3 | |
| Connection data | | |
| No. of poles | 10 | |
| Materials | | |
| Material | Copper | |
| Surface | Tin-plated | |
| Insulation housing | Polyamide 6.6 | |
| Flammability class UL 94 | V-2 | |
| Working temperature, min. | -40 °C | |
| Working temperature, max. | 105 °C | |
| Further technical data | | |
| Mounting type | Plug in | |
| Insulation available | ✓ | |
| Touch protection is available | ✓ | |
| Number of bridged terminals | 10 | |
| Environmental Product Compliance | | |
| REACH Conform | yes | |
| REACH Reference date | 2023-01-17 | |
| REACH Candidate Substance Note | No | |
| RoHS Conform | yes | |
| | | |

Data sheet 2045.0 AQI 10/5/11 YE



Media

2045.0 AQI 10/5/11 YE



Accessories

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 1337.2 | BKA 2,5/3 e.B. BG | 4044211043858 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 1342.2 | BKA 2,5/10 e.B. BG | 4044211043902 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1349.2 | BKA 2,5/20 e.B. BG | 4044211043971 | 10 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1362.2 | BKA 2,5/16 b.B. BG | 4044211044107 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1336.2 | BKA 2,5/2 e.B. BG | 4044211043841 | 50 ST |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1348.2 | BKA 2,5/18 e.B. BG | 4044211043964 | 20 ST |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 1356.2 | BKA 2,5/8 b.B. BG | 4044211044046 | 20 |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1357.2 | BKA 2,5/10 b.B. BG | 4044211044053 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1323.2 | BKA 2,5/4 BG | 4044211043278 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1324.2 | BKA 2,5/5 BG | 4044211043360 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1334.2 | BKA 2,5/20 BG | 4044211043827 | 10 ST |



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1406.2 | BKA 4/1 Ex BG | 4044211044534 | 100 |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1326.2 | BKA 2,5/8 BG | 4044211043568 | 20 ST |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1331.2 | BKA 2,5/15 BG | 4044211043797 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1333.2 | BKA 2,5/18 BG | 4044211043810 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1360.2 | BKA 2,5/14 b.B. BG | 4044211044084 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1361.2 | BKA 2,5/15 b.B. BG | 4044211044091 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1363.2 | BKA 2,5/18 b.B. BG | 4044211044114 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1365.2 | BKA 2,5/24 b.B. BG | 4044211044138 | 10 ST |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1325.2 | BKA 2,5/6 BG | 4044211043476 | 50 ST |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1329.2 | BKA 2,5/13 BG | 4044211043773 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1344.2 | BKA 2,5/13 e.B. BG | 4044211043926 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1347.2 | BKA 2,5/16 e.B. BG | 4044211043957 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1364.2 | BKA 2,5/20 b.B. BG | 4044211044121 | 10 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1335.2 | BKA 2,5/24 BG | 4044211043834 | 10 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1338.2</u> | BKA 2,5/4 e.B. BG | 4044211043865 | 50 |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1346.2 | BKA 2,5/15 e.B. BG | 4044211043940 | 20 ST |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1351.2 | BKA 2,5/2 b.B. BG | 4044211043995 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1353.2 | BKA 2,5/4 b.B. BG | 4044211044015 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 1354.2 | BKA 2,5/5 b.B. BG | 4044211044022 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1359.2 | BKA 2,5/13 b.B. BG | 4044211044077 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1321.2 | BKA 2,5/2 BG | 4044211043070 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1330.2 | BKA 2,5/14 BG | 4044211043780 | 20 ST |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1339.2 | BKA 2,5/5 e.B. BG | 4044211043872 | 50 ST |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1327.2 | BKA 2,5/10 BG | 4044211043650 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1332.2 | BKA 2,5/16 BG | 4044211043803 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 1345.2 | BKA 2,5/14 e.B. BG | 4044211043933 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1350.2 | BKA 2,5/24 e.B. BG | 4044211043988 | 10 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1328.2 | BKA 2,5/12 BG | 4044211043742 | 20 ST |



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 1405.2 | BKA 2,5/1 Ex BG | 4044211044527 | 100 |



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1320.2 | BKA 2,5/1 BG | 4044211042967 | 100 |

2045.0 AQI 10/5/11 YE



##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1322.2 | BKA 2,5/3 BG | 4044211043186 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1341.2 | BKA 2,5/8 e.B. BG | 4044211043896 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1352.2 | BKA 2,5/3 b.B. BG | 4044211044008 | 50 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1358.2 | BKA 2,5/12 b.B. BG | 4044211044060 | 20 ST |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1355.2 | BKA 2,5/6 b.B. BG | 4044211044039 | 50 |

##INVERSE##CONTA-CONNECT



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1329.2 | BKA 2,5/13 BG | 4044211043773 | 20 ST |





##INVERSE##CONTA-CONNECT

Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 1334.2 | BKA 2,5/20 BG | 4044211043827 | 10 ST |

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1357.2 | BKA 2,5/10 b.B. BG | 4044211044053 | 20 ST |

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 1364.2 | BKA 2,5/20 b.B. BG | 4044211044121 | 10 ST |

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 1342.2 | BKA 2,5/10 e.B. BG | 4044211043902 | 20 ST |

##INVERSE##CONTA-CONNECT

Data sheet 2045.0 AQI 10/5/11 YE





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1353.2</u> | BKA 2,5/4 b.B. BG | 4044211044015 | 50 ST |

##INVERSE##CONTA-CONNECT



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 1358.2 | BKA 2,5/12 b.B. BG | 4044211044060 | 20 ST |