


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
FT	0	B1	REVISED PER ECO-13-008672		31AUG13	KH	DR



- 1 THIS ASSEMBLY MATES WITH 789092.
- 2 JACKSCREW SOCKET: STAINLESS STEEL.  
PIN CONTACT: BRASS.  
RECEPTACLE BLOCK: DIALLYL PHTHALATE, BLUE.
- 3 PIN CONTACT:  $0.76\mu\text{m}$  [ $.000030$ ] MIN GOLD ON  $\phi 1.588$  [ $.0625$ ],  $6.35$  [ $.250$ ] FROM MATING END AND REMAINDER GOLD FLASH ALL OVER  $1.27\mu\text{m}$  [ $.000050$ ] MIN NICKEL.  
POST:  $2.54\mu\text{m}$  [ $.000100$ ] MIN TIN-LEAD PER MIL-T-10727 OVER  $2.54\mu\text{m}$  [ $.000050$ ] MIN NICKEL PER QQ-N-290.
- 4 PIN CONTACT:  $0.76\mu\text{m}$  [ $.000030$ ] MIN GOLD ON  $\phi 1.588$  [ $.0625$ ],  $6.35$  [ $.250$ ] FROM MATING END AND REMAINDER GOLD FLASH ALL OVER  $1.27\mu\text{m}$  [ $.000050$ ] MIN NICKEL PER QQ-N-290.

OBSELETE	4	796093-2
	3	796093-1
FINISH		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.DORWART	20 APR 98		TE Connectivity		
DIMENSIONS: mm [INCHES]		CHK	G.STEINHAUER	21 APR 98		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.STEINHAUER	21 APR 98		RECEPTACLE ASSEMBLY, 160 POSITION, POSTED, M SERIES		
0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH		PRODUCT SPEC	APPLICATION SPEC			SIZE	A2	
MATERIAL	-	WEIGHT	-	CAGE CODE	00779	DRAWING NO	C=796093	
CUSTOMER DRAWING				SCALE	2:1	SHEET	1 OF 1	
							RESTRICTED TO	-
							REV	B1