



ITEM	DESCRIPTION
1	SCREW
2	TYPE C COVER
3	PCB
4	TYPE C INSERT
5	TYPE C GASKET
6	GROMMET
7	EXTERNAL NUT

S25200NC410T**

SERIES _____
 S25= EXTERNAL THREAD FORM C
 POLES _____
 2= 2 POLE
 THREAD _____
 00 = EXTERNAL THREAD
 MATERIAL AND HOUSING COLOR _____
 G= PA6 GRAY, N= PA6 BLACK, W= PA6 BLACK V0,
 B= WHITE, T= TRANSPARENT
 CIRCUIT _____
 SEE DETAILS IN CATALOGUE
 VOLTAGE _____
 SEE DETAILS IN CATALOGUE
 GROUND POSITION _____
 0= UNMOUNTED, 2= H12, 3=H3, 6 =H6 & 9= H9
 SCREW AND GASKET _____
 T= PROFILE NBR GASKET AND IP67 SCREW
 S= PROFILE SILICON GASKET AND IP67 SCREW
 NON STANDARD PACKAGING _____
 CN= BULK PACK UN-MOUNTED
 SN= BULK PACK MOUNTED
 67= NEUTRAL PACKAGING
 SA= UL LISTED

NOTES:

- FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED
- PACKAGING SPECIFICATION: PLEASE SEE PK-121201-001
- PRODUCT SPECIFICATION: PLEASE SEE PS-121201-001
- CABLE SIZES 3 - 5.5 MM DIAMETER
- TIGHTENING TORQUES: SEE PS-121201-001
- GROUND POSITION SHOWN H12

LAST INSPECTION NUMBER 9

REV	DESCRIPTION	QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		mm	INCH	MM ONLY	DATE	2:1	METRIC	DATE	TITLE	
0		4 PLACES ±---	±---	DRAWN BY	DCARTON	DATE	2010/07/22			EXTERNAL THREAD S252 SERIES 121210
1		3 PLACES ±---	±---	CHECKED BY	DMAHER	DATE	2010/07/22			
2		2 PLACES ±0.1	±---	APPROVED BY	EFOLAN	DATE	2010/08/09			MOLLEX MOLEX INCORPORATED
3		1 PLACE ±0.2	±---	MATERIAL NO.		DOCUMENT NO.	SD-121210-001			
		ANGULAR ±---	---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLES		SIZE A2		SHEET NO. 1 OF 5
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100001	S25200TA110T	TYPE C TRANSPARENT	A1	12v	RED LED
1212100002	S25200TA120T	TYPE C TRANSPARENT	A1	24v	RED LED
1212100003	S25200TA130T	TYPE C TRANSPARENT	A1	48v	RED LED
1212100004	S25200TA140T	TYPE C TRANSPARENT	A1	115v	RED LED
1212100005	S25200TA150T	TYPE C TRANSPARENT	A1	230v	RED LED
1212100006	S25200TA1A0T	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100007	S25200TA1B0T	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100008	S25200TA1C0T	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100009	S25200TA1D0T	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100010	S25200TA1E0T	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100011	S25200TA1G0T	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100012	S25200TA1H0T	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100013	S25200TA1K0T	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100014	S25200TA1L0T	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100015	S25200TA1M0T	TYPE C TRANSPARENT	A1	230v	AMBER LED
1212100452	S25200TA1H0TSA	TYPE C TRANSPARENT UL LISTED	A1	24v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100031	S25200TC410T	TYPE C TRANSPARENT	C4	12v	RED LED
1212100032	S25200TC420T	TYPE C TRANSPARENT	C4	24v	RED LED
1212100033	S25200TC430T	TYPE C TRANSPARENT	C4	48v	RED LED
1212100034	S25200TC440T	TYPE C TRANSPARENT	C4	115v	RED LED
1212100035	S25200TC450T	TYPE C TRANSPARENT	C4	230v	RED LED
1212100036	S25200TC4A0T	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100037	S25200TC4B0T	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100038	S25200TC4C0T	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100039	S25200TC4D0T	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100040	S25200TC4E0T	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100041	S25200TC4G0T	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100042	S25200TC4H0T	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100043	S25200TC4K0T	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100044	S25200TC4L0T	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100045	S25200TC4M0T	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100016	S25200TC310T	TYPE C TRANSPARENT	C3	12v	RED LED
1212100017	S25200TC320T	TYPE C TRANSPARENT	C3	24v	RED LED
1212100018	S25200TC330T	TYPE C TRANSPARENT	C3	48v	RED LED
1212100019	S25200TC340T	TYPE C TRANSPARENT	C3	115v	RED LED
1212100020	S25200TC350T	TYPE C TRANSPARENT	C3	230v	RED LED
1212100021	S25200TC3A0T	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100022	S25200TC3B0T	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100023	S25200TC3C0T	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100024	S25200TC3D0T	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100025	S25200TC3E0T	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100026	S25200TC3G0T	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100027	S25200TC3H0T	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100028	S25200TC3K0T	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100029	S25200TC3L0T	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100030	S25200TC3M0T	TYPE C TRANSPARENT	C3	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100046	S25200ND010T	TYPE C BLACK	D0	12v	VDR
1212100047	S25200ND020T	TYPE C BLACK	D0	24v	VDR
1212100048	S25200ND030T	TYPE C BLACK	D0	48v	VDR
1212100049	S25200ND040T	TYPE C BLACK	D0	115v	VDR
1212100050	S25200ND050T	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100055	S25200NE050T	TYPE C BLACK	EO	230v	DIODE

SEE SHEET 1 EC NO: IPG2015-1911 DRAWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STGRIFFIN 2015/07/23 G	QUALITY SYMBOLS DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	DRAWN BY DCARTON	DATE 2010/07/22	TITLE EXTERNAL THREAD S252 SERIES 121210			
		2 PLACES ± 0.1 ± ---	1 PLACE ± 0.2 ± ---	CHECKED BY DMAHER	DATE 2010/07/22	MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY EFOLAN	DATE 2010/08/09	MATERIAL NO. SEE TABLES	DOCUMENT NO. SD-121210-001	SHEET NO. 2 OF 5	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100111	S25200TS010T	TYPE C TRANSPARENT	S0	12v	RED LED
1212100112	S25200TS020T	TYPE C TRANSPARENT	S0	24v	RED LED
1212100113	S25200TS030T	TYPE C TRANSPARENT	S0	48v	RED LED
1212100114	S25200TS040T	TYPE C TRANSPARENT	S0	115v	RED LED
1212100115	S25200TS050T	TYPE C TRANSPARENT	S0	230v	RED LED
1212100116	S25200TS0A0T	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100117	S25200TS0B0T	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100118	S25200TS0C0T	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100119	S25200TS0D0T	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100120	S25200TS0E0T	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100121	S25200TS0G0T	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100122	S25200TS0H0T	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100123	S25200TS0K0T	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100124	S25200TS0L0T	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100125	S25200TS0M0T	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100151	S25200TA110TCN	TYPE C TRANSPARENT	A1	12v	RED LED
1212100152	S25200TA120TCN	TYPE C TRANSPARENT	A1	24v	RED LED
1212100153	S25200TA130TCN	TYPE C TRANSPARENT	A1	48v	RED LED
1212100154	S25200TA140TCN	TYPE C TRANSPARENT	A1	115v	RED LED
1212100155	S25200TA150TCN	TYPE C TRANSPARENT	A1	230v	RED LED
1212100156	S25200TA1A0TCN	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100157	S25200TA1B0TCN	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100158	S25200TA1C0TCN	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100159	S25200TA1D0TCN	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100160	S25200TA1E0TCN	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100161	S25200TA1G0TCN	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100162	S25200TA1H0TCN	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100163	S25200TA1K0TCN	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100164	S25200TA1L0TCN	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100165	S25200TA1M0TCN	TYPE C TRANSPARENT	A1	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100126	S25200NS110T	TYPE C BLACK	S1	12v	NO LED
1212100127	S25200NS120T	TYPE C BLACK	S1	24v	NO LED
1212100128	S25200NS130T	TYPE C BLACK	S1	48v	NO LED
1212100129	S25200NS140T	TYPE C BLACK	S1	115v	NO LED
1212100130	S25200NS150T	TYPE C BLACK	S1	230v	NO LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100166	S25200TC310TCN	TYPE C TRANSPARENT	C3	12v	RED LED
1212100167	S25200TC320TCN	TYPE C TRANSPARENT	C3	24v	RED LED
1212100168	S25200TC330TCN	TYPE C TRANSPARENT	C3	48v	RED LED
1212100169	S25200TC340TCN	TYPE C TRANSPARENT	C3	115v	RED LED
1212100170	S25200TC350TCN	TYPE C TRANSPARENT	C3	230v	RED LED
1212100171	S25200TC3A0TCN	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100172	S25200TC3B0TCN	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100173	S25200TC3C0TCN	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100174	S25200TC3D0TCN	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100175	S25200TC3E0TCN	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100176	S25200TC3G0TCN	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100177	S25200TC3H0TCN	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100178	S25200TC3K0TCN	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100179	S25200TC3L0TCN	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100180	S25200TC3M0TCN	TYPE C TRANSPARENT	C3	230v	AMBER LED

SEE SHEET 1 EC NO: IFC2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STIGLIEFFIN 2015/07/23	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>±.0005</td> <td>±.0002</td> </tr> <tr> <td>3 PLACES</td> <td>±.0008</td> <td>±.0003</td> </tr> <tr> <td>2 PLACES</td> <td>±0.1</td> <td>±.004</td> </tr> <tr> <td>1 PLACE</td> <td>±0.2</td> <td>±.008</td> </tr> </table>		mm	INCH	4 PLACES	±.0005	±.0002	3 PLACES	±.0008	±.0003	2 PLACES	±0.1	±.004	1 PLACE	±0.2	±.008	DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
		mm	INCH																						
	4 PLACES	±.0005	±.0002																						
	3 PLACES	±.0008	±.0003																						
2 PLACES	±0.1	±.004																							
1 PLACE	±0.2	±.008																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		<table border="1"> <tr> <td>DRAWN BY</td> <td>DATE</td> <td rowspan="2">TITLE</td> </tr> <tr> <td>DCARTON</td> <td>2010/07/22</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> <td rowspan="2">EXTERNAL THREAD S252 SERIES 121210</td> </tr> <tr> <td>DMAHER</td> <td>2010/07/22</td> </tr> <tr> <td>APPROVED BY</td> <td>DATE</td> <td rowspan="2"> MOLEX INCORPORATED </td> </tr> <tr> <td>EFOLAN</td> <td>2010/08/09</td> </tr> </table>	DRAWN BY	DATE	TITLE	DCARTON	2010/07/22	CHECKED BY	DATE	EXTERNAL THREAD S252 SERIES 121210	DMAHER	2010/07/22	APPROVED BY	DATE	MOLEX INCORPORATED	EFOLAN	2010/08/09	<table border="1"> <tr> <td>MATERIAL NO.</td> <td>DOCUMENT NO.</td> </tr> <tr> <td>SEE TABLES</td> <td>SD-121210-001</td> </tr> </table>	MATERIAL NO.	DOCUMENT NO.	SEE TABLES	SD-121210-001	<table border="1"> <tr> <td>SHEET NO.</td> </tr> <tr> <td>3 OF 5</td> </tr> </table>	SHEET NO.	3 OF 5
DRAWN BY	DATE	TITLE																							
DCARTON	2010/07/22																								
CHECKED BY	DATE	EXTERNAL THREAD S252 SERIES 121210																							
DMAHER	2010/07/22																								
APPROVED BY	DATE	MOLEX INCORPORATED																							
EFOLAN	2010/08/09																								
MATERIAL NO.	DOCUMENT NO.																								
SEE TABLES	SD-121210-001																								
SHEET NO.																									
3 OF 5																									
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									
SIZE A 2																									

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100181	S25200TC410TCN	TYPE C TRANSPARENT	C4	12v	RED LED
1212100182	S25200TC420TCN	TYPE C TRANSPARENT	C4	24v	RED LED
1212100183	S25200TC430TCN	TYPE C TRANSPARENT	C4	48v	RED LED
1212100184	S25200TC440TCN	TYPE C TRANSPARENT	C4	115v	RED LED
1212100185	S25200TC450TCN	TYPE C TRANSPARENT	C4	230v	RED LED
1212100186	S25200TC4A0TCN	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100187	S25200TC4B0TCN	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100188	S25200TC4C0TCN	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100189	S25200TC4D0TCN	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100190	S25200TC4E0TCN	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100191	S25200TC4G0TCN	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100192	S25200TC4H0TCN	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100193	S25200TC4K0TCN	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100194	S25200TC4L0TCN	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100195	S25200TC4M0TCN	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100206	S25200TS010TCN	TYPE C TRANSPARENT	S0	12v	RED LED
1212100207	S25200TS020TCN	TYPE C TRANSPARENT	S0	24v	RED LED
1212100208	S25200TS030TCN	TYPE C TRANSPARENT	S0	48v	RED LED
1212100209	S25200TS040TCN	TYPE C TRANSPARENT	S0	115v	RED LED
1212100210	S25200TS050TCN	TYPE C TRANSPARENT	S0	230v	RED LED
1212100211	S25200TS0A0TCN	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100212	S25200TS0B0TCN	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100213	S25200TS0C0TCN	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100214	S25200TS0D0TCN	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100215	S25200TS0E0TCN	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100216	S25200TS0G0TCN	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100217	S25200TS0H0TCN	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100218	S25200TS0K0TCN	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100219	S25200TS0L0TCN	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100220	S25200TS0M0TCN	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100196	S25200ND010TCN	TYPE C BLACK	D0	12v	VDR
1212100197	S25200ND020TCN	TYPE C BLACK	D0	24v	VDR
1212100198	S25200ND030TCN	TYPE C BLACK	D0	48v	VDR
1212100199	S25200ND040TCN	TYPE C BLACK	D0	115v	VDR
1212100200	S25200ND050TCN	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100221	S25200NS110TCN	TYPE C BLACK	S1	12v	NO LED
1212100222	S25200NS120TCN	TYPE C BLACK	S1	24v	NO LED
1212100223	S25200NS130TCN	TYPE C BLACK	S1	48v	NO LED
1212100224	S25200NS140TCN	TYPE C BLACK	S1	115v	NO LED
1212100225	S25200NS150TCN	TYPE C BLACK	S1	230v	NO LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100205	S25200NE050TCN	TYPE C BLACK	E0	230v	DIODE

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100301	S25200TA112TSN	TYPE C TRANSPARENT	A1	12v	RED LED
1212100302	S25200TA122TSN	TYPE C TRANSPARENT	A1	24v	RED LED
1212100303	S25200TA132TSN	TYPE C TRANSPARENT	A1	48v	RED LED
1212100304	S25200TA142TSN	TYPE C TRANSPARENT	A1	115v	RED LED
1212100305	S25200TA152TSN	TYPE C TRANSPARENT	A1	230v	RED LED
1212100306	S25200TA1A2TSN	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100307	S25200TA1B2TSN	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100308	S25200TA1C2TSN	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100309	S25200TA1D2TSN	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100310	S25200TA1E2TSN	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100311	S25200TA1G2TSN	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100312	S25200TA1H2TSN	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100313	S25200TA1K2TSN	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100314	S25200TA1L2TSN	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100315	S25200TA1M2TSN	TYPE C TRANSPARENT	A1	230v	AMBER LED

SEE SHEET 1 EC NO: IFC2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STGLIFFIN 2015/07/23	DESCRIPTION REV	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr><th></th><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES</td><td>±.005</td><td>±.0004</td></tr> <tr><td>3 PLACES</td><td>±.008</td><td>±.0003</td></tr> <tr><td>2 PLACES</td><td>±0.1</td><td>±.0039</td></tr> <tr><td>1 PLACE</td><td>±0.2</td><td>±.0079</td></tr> <tr><td colspan="3">ANGULAR ±.000°</td></tr> </table>		mm	INCH	4 PLACES	±.005	±.0004	3 PLACES	±.008	±.0003	2 PLACES	±0.1	±.0039	1 PLACE	±0.2	±.0079	ANGULAR ±.000°			DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH																					
		4 PLACES	±.005	±.0004																					
		3 PLACES	±.008	±.0003																					
2 PLACES	±0.1	±.0039																							
1 PLACE	±0.2	±.0079																							
ANGULAR ±.000°																									
DRAWN BY: DCARTON DATE: 2010/07/22 CHECKED BY: DMAHER DATE: 2010/07/22 APPROVED BY: EFOLAN DATE: 2010/08/09			TITLE EXTERNAL THREAD S252 SERIES 121210		MOLEX INCORPORATED																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-121210-001																				
SIZE A2			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																						

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100316	S25200TC312TSN	TYPE C TRANSPARENT	C3	12v	RED LED
1212100317	S25200TC322TSN	TYPE C TRANSPARENT	C3	24v	RED LED
1212100318	S25200TC332TSN	TYPE C TRANSPARENT	C3	48v	RED LED
1212100319	S25200TC342TSN	TYPE C TRANSPARENT	C3	115v	RED LED
1212100320	S25200TC352TSN	TYPE C TRANSPARENT	C3	230v	RED LED
1212100321	S25200TC3A2TSN	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100322	S25200TC3B2TSN	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100323	S25200TC3C2TSN	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100324	S25200TC3D2TSN	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100325	S25200TC3E2TSN	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100326	S25200TC3G2TSN	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100327	S25200TC3H2TSN	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100328	S25200TC3K2TSN	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100329	S25200TC3L2TSN	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100330	S25200TC3M2TSN	TYPE C TRANSPARENT	C3	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100346	S25200ND012TSN	TYPE C BLACK	D0	12v	VDR
1212100347	S25200ND022TSN	TYPE C BLACK	D0	24v	VDR
1212100348	S25200ND032TSN	TYPE C BLACK	D0	48v	VDR
1212100349	S25200ND042TSN	TYPE C BLACK	D0	115v	VDR
1212100350	S25200ND052TSN	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100355	S25200NE052TSN	TYPE C BLACK	EO	230v	DIODE

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100331	S25200TC412TSN	TYPE C TRANSPARENT	C4	12v	RED LED
1212100332	S25200TC422TSN	TYPE C TRANSPARENT	C4	24v	RED LED
1212100333	S25200TC432TSN	TYPE C TRANSPARENT	C4	48v	RED LED
1212100334	S25200TC442TSN	TYPE C TRANSPARENT	C4	115v	RED LED
1212100335	S25200TC452TSN	TYPE C TRANSPARENT	C4	230v	RED LED
1212100336	S25200TC4A2TSN	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100337	S25200TC4B2TSN	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100338	S25200TC4C2TSN	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100339	S25200TC4D2TSN	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100340	S25200TC4E2TSN	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100341	S25200TC4G2TSN	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100342	S25200TC4H2TSN	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100343	S25200TC4K2TSN	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100344	S25200TC4L2TSN	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100345	S25200TC4M2TSN	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100356	S25200TS012TSN	TYPE C TRANSPARENT	S0	12v	RED LED
1212100357	S25200TS022TSN	TYPE C TRANSPARENT	S0	24v	RED LED
1212100358	S25200TS032TSN	TYPE C TRANSPARENT	S0	48v	RED LED
1212100359	S25200TS042TSN	TYPE C TRANSPARENT	S0	115v	RED LED
1212100360	S25200TS052TSN	TYPE C TRANSPARENT	S0	230v	RED LED
1212100361	S25200TS0A2TSN	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100362	S25200TS0B2TSN	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100363	S25200TS0C2TSN	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100364	S25200TS0D2TSN	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100365	S25200TS0E2TSN	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100366	S25200TS0G2TSN	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100367	S25200TS0H2TSN	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100368	S25200TS0K2TSN	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100369	S25200TS0L2TSN	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100370	S25200TS0M2TSN	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100371	S25200NS112TSN	TYPE C BLACK	S1	12v	NO LED
1212100372	S25200NS122TSN	TYPE C BLACK	S1	24v	NO LED
1212100373	S25200NS132TSN	TYPE C BLACK	S1	48v	NO LED
1212100374	S25200NS142TSN	TYPE C BLACK	S1	115v	NO LED
1212100375	S25200NS152TSN	TYPE C BLACK	S1	230v	NO LED

SEE SHEET 1 EC NO: IFC2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STGRIFFIN 2015/07/23 G	QUALITY SYMBOLS = 0 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.1 ± --- 1 PLACE ± 0.2 ± --- ANGULAR ± ---°	mm INCH ± --- ± --- ± 0.1 ± --- ± 0.2 ± ---	DRAWN BY DCARTON	DATE 2010/07/22	TITLE EXTERNAL THREAD S252 SERIES 121210		MOLEX INCORPORATED
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY EFOLAN		DATE 2010/08/09		MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-121210-001
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						SHEET NO. 5 OF 5		