

## 3082.0 H 1,5/17,5 KS BK

Wire-end ferrules, Max. wire cross-section: 1.5 mm<sup>2</sup>, Length: 17.5 mm, Length of copper pipe: 8 mm, Colour: Black

**RAL:** 9005

### Business data

Article number	<u>3082.0</u>
Article name	H 1,5/17,5 KS BK
GTIN (EAN)	4044211057879
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	0.25 g
Weight per piece (including packaging)	0.26 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Ferrules
Colour	Black

### Technical data

#### Dimensions

Length	17.5 mm
Length of copper pipe	8 mm
Diameter of copper pipe	1.8 mm
Diameter plastic collar	6.4 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.3 mm

#### Connection data

Wire cross-section, max.	1.5 mm <sup>2</sup>
Wire cross-section AWG, max.	16
Stripping length	8 mm

#### Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

#### Further technical data

Insulation available	✓
----------------------	---

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

### Approvals

---

#### Standards and regulations

---

DIN 46228-4:1990	yes
------------------	-----

---

---

### Media

---

---

### Accessories

---