


28148.7 PVC-TAP-CCS 15X27



Device and installation marker, Length: 27 mm, Width: 15 mm, Colour: Transparent

Business data

Article number	28148.7
Article name	PVC-TAP-CCS 15X27
GTIN (EAN)	4044211214135
Packaging unit	600
Quantity unit	PC
Number of markers per card	24 ST
Weight per piece (not including packaging)	0.47 g
Weight per piece (including packaging)	0.47 g
Unit of weight	G
Customs number	39269097
Country of origin	IT
Product description	Device and installation marker
Colour	Transparent

28148.7 PVC-TAP-CCS 15X27

Technical data

Dimensions

Length	27 mm
--------	-------

Width	15 mm
-------	-------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Mounting	GSU-H 27x15 BK
----------	----------------

Software code	166
---------------	-----

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2023-01-17
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

28148.7 PVC-TAP-CCS 15X27

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST
