



Insulated cross-connector, No. of poles: 4, Mounting type: Plug in, Width: 19.3 mm, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Red

Business data	
Article number	<u>3712.9</u>
Article name	ZQI 2,5/4 RD
GTIN (EAN)	4044211108533
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	2.26 g
Weight per piece (including packaging)	2.36 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3712.8
Product description	Insulated cross-connector

### Creation date 14.04.2023 01:03:03



### **Technical data**

Dimensions	
Length	4.5 mm
Width	19.3 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm <sup>2</sup>
Contamination degree	3
Connection data	
No. of poles	4
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	$\checkmark$
Touch protection is available	$\checkmark$
Number of bridged terminals	4
Environmental Product Compliance	
REACH Conform	yes
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





### Accessories

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour:Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

0.000

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

I	Article number	Article name	GTIN (EAN)	Packaging unit
	17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm<sup>2</sup>, Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm<sup>2</sup>, Width: 71.4 mm, Colour: Beige

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



	•	terminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5.		ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	0	terminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5.	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, Mou , Colour: Beige	nting type: Mounting rail ⊺	ΓS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
			on wounneervee Plue i	L Raieo cioss
)——()	•	terminal, Tension-spring connecti m², Width: 25.5 mm, Colour: Beig Article name	• • • •	Packaging
)	section: 2.5 m	m², Width: 25.5 mm, Colour: Beig	e	
)	Section: 2.5 mi Article number <u>17485.2</u> Feed-through	m², Width: 25.5 mm, Colour: Beig Article name	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir	Packaging unit 50 ST
)O	Section: 2.5 mi Article number <u>17485.2</u> Feed-through	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir	Packaging unit 50 ST
)O	section: 2.5 mi Article number <u>17485.2</u> Feed-through t section: 2.5 mi	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir e	Packaging unit 50 ST n, Rated cross Packaging
	Section: 2.5 mi Article number <u>17485.2</u> Feed-through t section: 2.5 mi Article number <u>17491.2</u> Feed-through t	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig Article name	e <b>GTIN (EAN)</b> 4044211205249 on, Mounting type: Plug ir e <b>GTIN (EAN)</b> 4044211205300 on, Mounting type: Plug ir	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST
K E UR	Section: 2.5 mi Article number <u>17485.2</u> Feed-through t section: 2.5 mi Article number <u>17491.2</u> Feed-through t	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connecti	e <b>GTIN (EAN)</b> 4044211205249 on, Mounting type: Plug ir e <b>GTIN (EAN)</b> 4044211205300 on, Mounting type: Plug ir	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST
	section: 2.5 mi Article number <u>17485.2</u> Feed-through t section: 2.5 mi Article number <u>17491.2</u> Feed-through t section: 2.5 mi	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connecti m², Width: 76.5 mm, Colour: Beig	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir e GTIN (EAN) 4044211205300 on, Mounting type: Plug ir e	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging
K E UR	Section: 2.5 mi Article number 17485.2 Feed-through is Section: 2.5 mi Article number 17491.2 Feed-through is Section: 2.5 mi Article number 17495.2 Feed-through is	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connecti m², Width: 76.5 mm, Colour: Beig Article name	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir e GTIN (EAN) 4044211205300 on, Mounting type: Plug ir e GTIN (EAN) 4044211205348 on, Mounting type: Plug ir	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST
K E UR	Section: 2.5 mi Article number 17485.2 Feed-through is Section: 2.5 mi Article number 17491.2 Feed-through is Section: 2.5 mi Article number 17495.2 Feed-through is	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connecti m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connecti m², Width: 76.5 mm, Colour: Beig Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connecti	e GTIN (EAN) 4044211205249 on, Mounting type: Plug ir e GTIN (EAN) 4044211205300 on, Mounting type: Plug ir e GTIN (EAN) 4044211205348 on, Mounting type: Plug ir	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST



	•	terminal, Tension-spring connection, cross-section: 2.5 mm <sup>2</sup> , Width: 5.1 m	0 71	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring connection, cross-section: 2.5 mm², Width: 5.1 m	· · · ·	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
K EMA	•	terminal, Tension-spring connection, m <sup>2</sup> , Width: 45.9 mm, Colour: Beige	Mounting type: Plug in	n, Rated cross-
ILEUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
KEMA	•	terminal, Tension-spring connection, m², Width: 51 mm, Colour: Beige	Mounting type: Plug in	
ILEUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST
	•	terminal, Tension-spring connection, m², Width: 5.1 mm, Colour: Beige	Mounting type: Plug in	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100
IZ EMA	•	terminal, Tension-spring connection, m², Width: 20.4 mm, Colour: Beige	Mounting type: Plug in	n, Rated cross-
<b>NEUR</b>	Article number	Article name	GTIN (EAN)	Packaging unit
	17484.2	ZST 2,5/4/1A/Q BG	4044211205232	50 ST
IZ FMA	•	terminal, Tension-spring connection, m², Width: 35.7 mm, Colour: Beige	Mounting type: Plug in	n, Rated cross-
<b>N</b> EUR	Article number	Article name	GTIN (EAN)	Packaging unit

1	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



	•	terminal, Plug-in connection, Mountir , Colour: Beige	ng type: Mounting rail ∃	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
<b>R</b>	•	terminal, Tension-spring connection, m², Width: 10.2 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
0 00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
K EMA	0	terminal, Tension-spring connection, m², Width: 15.3 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
[\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
FAL	•	terminal, Tension-spring connection, m², Width: 40.8 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
ENL				Deekeging
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
rnr	17488.2 Feed-through t		4044211205270	unit 25 ST
EAC	17488.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection,	4044211205270	unit 25 ST
EAC	17488.2 Feed-through t section: 2.5 m	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige	4044211205270 Mounting type: Plug ir	unit 25 ST n, Rated cross- Packaging
EAC	17488.2 Feed-through t section: 2.5 m Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige Article name	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
EAC	17488.2 Feed-through t section: 2.5 m Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection,	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
EAC	17488.2Feed-through t section: 2.5 mitArticle number17492.2Feed-through t section: 2.5 mit	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 5.1 mm, Colour: Beige	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging
ERC EFFC	17488.2Feed-through t section: 2.5 mmArticle number17492.2Feed-through t section: 2.5 mmArticle number3672.2Feed-through t Section: 2.5 mm	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 5.1 mm, Colour: Beige Article name	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging unit 100
<b>ERIC</b>	17488.2Feed-through t section: 2.5 mmArticle number17492.2Feed-through t section: 2.5 mmArticle number3672.2Feed-through t Section: 2.5 mm	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m <sup>2</sup> , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection,	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging unit 100



		gh terminal for direct mount, ATEX-ce : Mounting surface, Rated cross-secti		
	Article number	Article name	GTIN (EAN)	Packaging unit
	1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
		terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	-	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W	-	
0	Article number	Article name	GTIN (EAN)	Packaging unit
	3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
	•	terminal for direct mount, Tension-spinace, Rated cross-section: 2.5 mm <sup>2</sup> , W		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100




DE	Article number	Article name	GTIN (EAN)	Packaging unit
	3595.2	ZSRK 2,5/2A/D/F BG	4044211059545	50
		ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • •	unting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3616.2	ZTRK 2,5/2A/ZS BG	4044211059804	100
		ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • •	unting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3621.2	ZTRK 2,5/3A/ZS BG	4044211059859	100
				100
	Fuse-disconne	ect terminal, Tension-spring co cross-section: 2.5 mm <sup>2</sup> , Width: Article name	nnection, Mounting type: Mo	
	Fuse-disconne 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 Donnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging unit 100 Dunting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903	unting rail TS Packaging unit 100
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated Article number <u>3605.2</u> Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100 TS 35/7.5, Ra
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated Article number <u>3605.2</u> Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/MT BG , Tension-spring connection, M	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100



	type: Mounting	g rail TS 35/7.5, Rated cross-se	ection: 2.5 mm <sup>2</sup> , Width: 5.1 n	nm, Colour:Beig
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3590.2</u>	ZIKD 2,5 BG	4044211059460	50
all dia		tiator terminal   Multi-wire termi g rail TS 35/7.5, Rated cross-se		-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3592.2	ZIKD 2,5/PE/L/L BG	4044211059507	50
		tiator terminal   Multi-wire termi g rail TS 35/7.5, Rated cross-se		•
	Article number	Article name	GTIN (EAN)	Packaging unit
	3594.2	ZIKD 2,5/PE/L/N BG	4044211059538	50 ST
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3603.2	ZTRK 2,5/2A/MT BG	4044211059675	100
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3604.2	ZTRK 2,5/3A/MT BG	4044211059682	100
		, Tension-spring connection, M 2.5 mm², Width: 5.1 mm, Color		rS 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit



### ##INVERSE##CONTA-CONNECT





Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3575.2	ZRKD 2,5/ZBA BG	4044211059194	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3591.2</u>	ZIKD 2,5/SV BG	4044211059484	50



### ##INVERSE##CONTA-CONNECT

100	Mounting rail	S 35/7.5, Rated cross-section:	sion-spring connection, Moui : 2.5 mm², Width: 5.1 mm, Co	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>1707.2</u>	ZRKD 2,5 Ex BG	4044211110949	100
		erminal, Tension-spring connec cross-section: 2.5 mm <sup>2</sup> , Width:	• • • •	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3562.2	ZRKD 2,5 BG	4044211151836	100
		erminal, Tension-spring connec cross-section: 2.5 mm <sup>2</sup> , Width:	••••	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
		erminal, Tension-spring connec cross-section: 2.5 mm <sup>2</sup> , Width:	• • • •	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3565.2	ZRKD 2,5/DU/PE	4044211059095	400 OT
				100 ST
		erminal, Tension-spring connec cross-section: 2.5 mm², Width:	0,11	
			0,11	
	35/7.5, Rated	cross-section: 2.5 mm <sup>2</sup> , Width:	5.1 mm, Colour: Beige	ng rail TS Packaging
	35/7.5, Rated Article number <u>3576.2</u> Double-level to	cross-section: 2.5 mm <sup>2</sup> , Width: Article name	5.1 mm, Colour: Beige GTIN (EAN) 4044211059217 ction, Mounting type: Mountir	ng rail TS Packaging unit 100
	35/7.5, Rated Article number <u>3576.2</u> Double-level to	cross-section: 2.5 mm², Width: Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connect	5.1 mm, Colour: Beige GTIN (EAN) 4044211059217 ction, Mounting type: Mountir	ng rail TS Packaging unit 100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	0	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0,11	C
	Article number	Article name	GTIN (EAN)	Packaging unit
	3501.2	ZRK 2,5/3A BG	4044211151690	100
	•	terminal, Tension-spring conne	••••	ing rail TS
EAC	•	terminal, Tension-spring conne cross-section: 2.5 mm <sup>2</sup> , Width: Article name	••••	
EAC	35/7.5, Rated	cross-section: 2.5 mm <sup>2</sup> , Width:	5.1 mm, Colour: Beige	Packaging
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	cross-section: 2.5 mm², Width: Article name	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	Packaging unit 100 Inting type: olour: Beige Packaging
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Tens TS 15/5.5, Rated cross-section:	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	Packaging unit 100 Inting type:
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail Article number <u>1700.2</u> Ex feed-throug Mounting rail	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Tene TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tene TS 35/7.5, Rated cross-section:	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige
EAC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail Article number <u>1700.2</u> Ex feed-throug	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Tene TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tene	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



#### ##INVERSE##CONTA-CONNECT

O Desto				
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3500.2</u>	ZRK 2,5/2A BG	4044211151683	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3585.2	ZSRK 2,5/2A/15 BG	4044211151904	100
	Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section	sion-spring connection, Mou	inting type:
D. C. C.	Ex feed-throug	h terminal ATEX-certified, Ten	sion-spring connection, Mou	inting type:
	Ex feed-throug Mounting rail 1	h terminal ATEX-certified, Ten S 35/7.5, Rated cross-section	sion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, C	nting type: olour: Beige Packaging
	Ex feed-throug Mounting rail T Article number <u>1703.2</u> Ex feed-throug	h terminal ATEX-certified, Ten S 35/7.5, Rated cross-section Article name	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou	Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail T Article number <u>1703.2</u> Ex feed-throug	gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou	Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail T Article number <u>1703.2</u> Ex feed-throug Mounting rail T	gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section	asion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 asion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co	Packaging unit 100 unting type: olour: Beige Packaging
	Ex feed-throug Mounting rail 1 Article number 1703.2 Ex feed-throug Mounting rail 1 Article number 1706.2 Feed-through	gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section Article name	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail 1 Article number 1703.2 Ex feed-throug Mounting rail 1 Article number 1706.2 Feed-through	ch terminal ATEX-certified, Ten S 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG ch terminal ATEX-certified, Ten S 35/7.5, Rated cross-section Article name ZRK 2,5/4A Ex BG terminal, Tension-spring connect	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



Packaging

#### ##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm <sup>2</sup> , Width: 5.1 mm, Colour: Beige				
Article number	Article name	GTIN (EAN)	Packagi unit	
3502.2	ZRK 2,5/4A BG	4044211151713	100	

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100



	Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm <sup>2</sup> , Width: 5.1 mm, Colour:Beige				
Article number	Article name	GTIN (EAN)	Packaging unit		
3572.2	ZRKD 2,5/D3 BG	4044211059163	100		