








REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	08MAY2020	M. J	E. I







-  GOLD PLATING UNDER Ni PLATING
-  TIN PLATING UNDER Ni PLATING




P/N													
QTY	FINISH	MATERIAL	KEY	POS	NAME	ITEM							
2	2	2			COPPER ALLOY					RETENTION LEG	④		
6	4	4	 		COPPER ALLOY					CONTACT	③		
1	/	/	/	/	THERMO PLASTIC, POLYESTER (UL94V-0), COLOR: BLACK	X	6			HOUSING	②		
/	1	/	/	/	THERMO PLASTIC, POLYESTER (UL94V-0), COLOR: BLACK	Y	4			HOUSING	①		
/	/	1	/	/	THERMO PLASTIC, POLYESTER (UL94V-0), COLOR: BLACK	X	4			HOUSING	①		

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN 08MAY2020 M. JIANG		 TE Connectivity		
DIMENSIONS: mm			CHK 08MAY2020 T. SHIMOYASU				
TOLERANCES UNLESS OTHERWISE SPECIFIED:			APVD 08MAY2020 F. IKEMATSU		PRODUCT SPEC		
0 PLC ±0.3			PRODUCT SPEC		108-140022		
1 PLC ±0.3			APPLICATION SPEC		408-78067		
2 PLC ±0.3			WEIGHT		-		
3 PLC ±0.3			CUSTOMER DRAWING		SCALE 1:1		
4 PLC ±0.3			FINISH		SEE TABLE		
ANGLES ±3°			MATERIAL		SEE TABLE		
			SIZE		A300779		
			CAGE CODE		C-2260661		
			DRAWING NO		SHEET 1 OF 4		
			RESTRICTED TO		REV A		

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-









REFERENCE PCB BOARD LAYOUT
PCB THICKNESS: 1.6~2.4±0.1
GENERAL TOLERANCE: ±0.05




4-2260661-1 (4 POS KEY: X)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. JIANG 08MAY2020	TE Connectivity	
DIMENSIONS: mm		CHK T. SHIMOYASU 08MAY2020		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F. IKEMATSU 08MAY2020	NAME DYNAMIC D5900 HEADER ASSEMBLY	
0 PLC ±0.3		PRODUCT SPEC 108-140022	SIZE A300779	
1 PLC ±0.3		APPLICATION SPEC 408-78067	CAGE CODE C-2260661	
2 PLC ±0.3		WEIGHT -	DRAWING NO -	
3 PLC ±0.3		CUSTOMER DRAWING	RESTRICTED TO -	
4 PLC ±0.3			SCALE 1:1	
ANGLES ±3°			SHEET 2 OF 4	
MATERIAL SEE SHEET 1	FINISH SEE SHEET 1		REV A	

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-









REFER TO SHEET 2 FOR THE DIMENSIONS WHICH ARE NOT INDICATED ON THIS SHEET.



4-2260661-2(4POS KEY:Y)


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. JIANG 08MAY2020	TE Connectivity	
DIMENSIONS: mm		CHK T. SHIMOYASU 08MAY2020		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F. IKEMATSU 08MAY2020	NAME DYNAMIC D5900 HEADER ASSEMBLY	
0 PLC ±0.3 1 PLC ±0.3 2 PLC ±0.3 3 PLC ±0.3 4 PLC ±0.3 ANGLES ±3°		PRODUCT SPEC 108-140022	RESTRICTED TO	
MATERIAL SEE SHEET 1	FINISH SEE SHEET 1	APPLICATION SPEC 408-78067	SIZE A300779	CAGE CODE C-2260661
CUSTOMER DRAWING		WEIGHT -	DRAWING NO.	SCALE 1:1
		SHEET 3 OF 4		REV A

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



REFERENCE PCB BOARD LAYOUT
PCB THICKNESS: 1.6~2.4±0.1
GENERAL TOLERANCE: ±0.05

6-2260661-1 (6 POS KEY: X)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. JIANG 08MAY2020	TE Connectivity	
DIMENSIONS: mm		CHK T. SHIMOYASU 08MAY2020		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F. IKEMATSU 08MAY2020	NAME DYNAMIC D5900 HEADER ASSEMBLY	
0 PLC ±0.3		PRODUCT SPEC 108-140022	SIZE A300779	
1 PLC ±0.3		APPLICATION SPEC 408-78067	CAGE CODE C-2260661	
2 PLC ±0.3		WEIGHT -	DRAWING NO -	
3 PLC ±0.3		MATERIAL SEE SHEET 1	RESTRICTED TO -	
4 PLC ±0.3			SCALE 1:1	
ANGLES ±3°		FINISH SEE SHEET 1		SHEET 4 OF 4
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1		REV A
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1		CUSTOMER DRAWING