



Seal, Mounting type: Plug in, Length 65.2 mm, Width: 20.3 mm, IP 66, Colour: Grey

**RAL:** Ähnlich 7035

### Business data

|  |                 |
|--|-----------------|
| Article number                             | 28720.6         |
| Article name                               | KDS-DE-FB2/B GR |
| GTIN (EAN)                                 | 4044211221133   |
| Packaging unit                             | 5               |
| Quantity unit                              | PC              |
| Weight per piece (not including packaging) | 23.65 g         |
| Weight per piece (including packaging)     | 24.45 g         |
| Unit of weight                             | G               |
| Customs number                             | 39259020        |
| Country of origin                          | DE              |
| Product description                        | Sealing Element |
| Colour                                     | Grey            |

### Technical data

#### Dimensions

|        |         |
|--------|---------|
| Length | 65.2 mm |
| Width  | 20.3 mm |
| Height | 17.7 mm |

#### Materials

|                           |        |
|---------------------------|--------|
| Material                  | TPE    |
| Flammability class UL 94  | V-0    |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 90 °C  |
| Halogen-free              | ✓      |
| Silicone-free             | ✓      |

#### Further technical data

|                      |         |
|----------------------|---------|
| Mounting type        | Plug in |
| Degree of protection | IP66    |
| Strain relief        | ✓       |
| Cable width min.     | 32 mm   |
| Cable width max.     | 38 mm   |
| Cable thickness min. | 5 mm    |
| Cable thickness max. | 5.5 mm  |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2023-01-17 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CABLE



Cable entry with moulded-in seal, Mounting type: Screws, Length: 147 mm, Width: 39 mm, IP 66, Colour: Black

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28711.4</a> | KDS-SR-FB4/E BK | 4044211225582 | 10 ST          |



Cable entry with injected seal, Mounting type: Screws, Length: 98 mm, Width: 39 mm, IP 66, Colour: Black

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28701.4</a> | KDS-SR-FB2/A BK | 4044211225483 | 10 ST          |



Cable entry with moulded-in seal, Mounting type: Screws, Length: 120 mm, Width: 39 mm, IP 66, Colour: Black

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28704.4</a> | KDS-SR-FB3/B BK | 4044211225513 | 10 ST          |



Cable entry with moulded-in seal, Mounting type: Screws, Length: 147 mm, Width: 39 mm, IP 66, Colour: Black

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28709.4</a> | KDS-SR-FB4/C BK | 4044211225568 | 10 ST          |