

## 28205.7 PVC-VRT-RH 35X50 WH

---

Device and installation marker, Length: 50 mm, Width: 35 mm, Colour: White

RAL: 9010

### Business data

---

Article number	<u>28205.7</u>
Article name	PVC-VRT-RH 35X50 WH
GTIN (EAN)	4044211215095
Packaging unit	60
Quantity unit	PC
Number of markers per card	6 ST
Weight per piece (not including packaging)	2.16 g
Weight per piece (including packaging)	2.16 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Product description	Device and installation marker
Colour	White

---

## 28205.7 PVC-VRT-RH 35X50 WH

---

### Technical data

---

#### Dimensions

Length	50 mm
Width	35 mm
Diameter of mounting hole	4 mm
Thickness	0.9 mm

#### Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

#### Further technical data

Software code	833
Number of bore holes	2 ST

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

### Media

---

---

### Accessories

---

#### Printer

---



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

---

#### Inlays

---

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST

---