








LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD		
A		RELEASE PER ECO-15-018552	31DEC2015	RG	SH		
B		REVISED PER ECO-17-010190	17JUL2017	RG	SH		
C		REVISED PER ECO-18-018915	17DEC2018	TX	SH		



- △ CAGE MATERIAL : 0.25 mm THICK NICKEL SILVER.  
 SPRING MATERIAL: COPPER ALLOY, NICKEL PLATING
- △ MINIMUM PITCH DIMENSION
- 3. MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.
- △ REFERENCE APPLICATION SPEC 114-13217 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.
- 6. MINIMUM PC BOARD THICKNESS :  
 SINGLES SIDED: 1.45 mm MIN  
 DOUBLE SIDED: 2.2 mm MIN
- △ DATUM -A- IS TOP SURFACE OF THE HOST BOARD.
- △ SURFACE TRACES PERMITTED WITHIN THIS AREA EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL J, CONTACT PC BOARD.
- △ DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN
- △ FIX EMI SPRING BY LASER WELDING.



DETAIL A  
 SCALE 16:1






2170256-1 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: RINSEN SUN 06FEB2012	TE Connectivity	
		CHK: DENNY ZHU 06FEB2012		
DIMENSIONS:		APVD: ALEY CAI 06FEB2012	NAME: CAGE ASSEMBLY, THRU BEZEL	
mm		PRODUCT SPEC: 108-2286	SIZE: CAGE CODE DRAWING NO: A100779C=2170256	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.10 3 PLC ±0.013 4 PLC ± ANGLES ±°		APPLICATION SPEC: 114-13217	RESTRICTED TO: -	
MATERIAL: -		WEIGHT: -	CUSTOMER DRAWING	
FINISH: -		SCALE: 4:1	SHEET 1 OF 4 REV C	


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. COPYRIGHT copyright\_d81e- ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
		P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

1-2170256-1 BE SAME TO 2170256-1 EXCEPT STOP FEATURE AS SHOWN





1-2170256-1 SCALE 4:1



1-2170256-1 SCALE 4:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: KINSEN SUN 06FEB2012	 TE Connectivity
DIMENSIONS:		CHK: DENNY ZHU 06FEB2012	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: AILEY CAI 06FEB2012	NAME: CAGE ASSEMBLY, THRU BEZEL 1X1 QSFP+
	0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.10 3 PLC ±0.013 4 PLC ± ANGLES ±°	PRODUCT SPEC: 108-2286	SIZE: CAGE CODE DRAWING NO. RESTRICTED TO
MATERIAL: -	FINISH: -	APPLICATION SPEC: 114-13217	100779C=2170256
CUSTOMER DRAWING		WEIGHT: -	SCALE: 4:1 SHEET 2 OF 4 REV C

LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: RINSEN SUN 06FEB2012	TE Connectivity
DIMENSIONS: mm		CHK: DENNY ZHU 06FEB2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: AILEY CAI 06FEB2012	NAME: CAGE ASSEMBLY, THRU BEZEL 1X1 QSFP+
0 PLC	±0.25	PRODUCT SPEC	SIZE: CAGE CODE DRAWING NO
1 PLC	±0.25	108-2286	A100779C=2170256
2 PLC	±0.10	APPLICATION SPEC	RESTRICTED TO
3 PLC	±0.013	114-13217	SCALE: 2:1 SHEET 3 OF 4 REV C
4 PLC	±	WEIGHT	
ANGLES	±	CUSTOMER DRAWING	
FINISH			

LOC	DIST	REV	DATE	BY	APPV
-	-	1	-	-	-
REVISIONS					
DESCRIPTION					
SEE SHEET 1					



DETAIL B  
SCALE 7:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: RINSEN SUN 06FEB2012 CHK: DENNY ZHU 06FEB2012 APVD: ALEY CAI 06FEB2012	TE Connectivity
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$ 0.25 1 PLC $\pm$ 0.25 2 PLC $\pm$ 0.10 3 PLC $\pm$ 0.13 4 PLC $\pm$ 0.13 ANGLES $\pm$ °	NAME: CAGE ASSEMBLY, THRU BEZEL 1X1 QSFP+ PRODUCT SPEC: 108-2286 APPLICATION SPEC: 114-13217 WEIGHT: - FINISH: -	