



## Technical Data Sheet

# Metal 4-Port USB 2.0 Powered Hub for Industrial Use w/ Screw Lock

Model Number: USBG-4SU2MLA



The USBG-4SU2MLA is an Industrial-grade metal 4-Port USB 2.0 Powered Hub that allows you to secure your devices by the connection of a screw lock port. Never come unplugged during synchronization again! The metal 4-Port USB 2.0 Hub complies with Universal Serial Bus (USB) Specifications Revision 2.0 and work up to 480Mbps. It provides 4 downstream facing ports with standard A-type USB 2.0 connectors. It also supports screw-lock features for both upstream (USB type A) and downstream (USB type B) connectors with the screw-lock USB cables. It prevents from disconnecting the USB cables accidentally.

### Features

- Compliant with USB Specification Rev. 2.0
- Rigid and Wall-Mountable Metal Case
- Supports Screw Lock Mechanism for Upstream and Downstream Connectors to Enhance Reliability
- Supports High-speed and or Full-speed Packet Protocol Sequencer for Endpoint 0/1
- Provides 7 Downstream Facing Ports
- Supports 480Mbps, 12Mbps and 1.5Mbps Speed
- Supports Self-powered and Bus-powered Mode

### Product Information

- **Model Number:** [USBG-4SU2MLA](#)
- **Packing List:**
  - Industrial Metal 4-Port USB 2.0 Hub
  - 6-foot Hi-Speed USB 2.0 certified A to B cable
  - 6-foot Hi-Speed USB 2.0 certified A to B Screw Lock cable
  - 5V 2A Power Adapter
- **Optional Accessories:** N/A

## Specifications

### OVERVIEW

Product Type	USB 2.0 Hub
Electrical Protections	N/A
Mountable	Surface Mounting
Construction	Metal
Applications	Data Centers, Automotive peripheral installation, Machine Equipment, Kiosk, Office, and others
Certs / Compatibility	RoHS, CE, FCC, WEEE

### CONNECTIONS

Type-A Downstream Ports	4
Type-B Upstream Ports	1
5V Input Power	Barrel connector from power adapter

### AVAILABLE POWER MODES

Mode 1	Bus
Mode 2	Self power source (+5VDC power adapter)

### ENVIRONMENTAL

Operating Temperature	0 to 55°C (32 TO 131°F)
Operating Humidity	5 to 95% RH
Storage Temperature	N/A

### DIMENSIONS

Length	7.03" (17.85 cm)
Width	2.43" (6.16 cm)
Height	0.92" (2.34 cm)

### OS SUPPORT

Windows	Windows 2000, 2003, CE, Vista, Windows 7, 8, and 10
Other	Linux and Mac OS 10.X

### LED

Power	1 (red)
Downstream Ports	1 per port

### WARRANTY

Warranty Period	1 year from date of purchase
-----------------	------------------------------

### PRODUCT URL

USBG-4SU2MLA Product Page	<a href="https://www.coolgear.com/product/metal-4-port-usb-2-0-powered-hub-industrial-use-w-screw-lock">https://www.coolgear.com/product/metal-4-port-usb-2-0-powered-hub-industrial-use-w-screw-lock</a>
---------------------------	---

© 2017 Coolgear, Inc. All Rights Reserved. All products and accompanying digital documentation including images are the property and / or trademarks of Coolgear Inc. Coolgear Inc. are continuously improving upon its products. Product specifications are subject to change without notice.