


May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- Notes
- 1 Lead CO-PLANARITY shall be 0.1mm max.
 - 2 Tube packaging shall be applied for this product. See next page for details.
 - 3 For modification, etc., preventive hole for sink mark may be added according to circumstances.
 - 4 The dimensions in parentheses are for reference.

⚠ Added precaution

2	PHOSPHOR BRONZE	Contact area : Gold 0.1μm min.	5	POLYVINYL CHLORIDE	(Stopper)
		Lead area : Tin-plating 1μm min.		POLYVINYL CHLORIDE	(Tube)
		Under plating : Nickel 1μm min.		PPS	Light brown (UL94V-0)
1	PPS	Light brown (UL94V-0)	3	PPS	Light brown (UL94V-0)
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS mm		SCALE 5 : 1	COUNT 1	DESCRIPTION OF REVISIONS DIS-F-00006419	
DESIGNED KS. NAKAJIMA		CHECKED HT. YAMAGUCHI		DATE 20200803	
APPROVED : HS. OKAWA 20051111			DRAWING NO. EDC-150894-91-21		
CHECKED : HS. OZAWA 20051111			PART NO. FX8C-120S-SV5(91)		
DESIGNED : KY. NAKAMURA 20051111			CODE NO. CL578-0826-3-91		
DRAWN : AK. SUZUKAWA 20051108			1/3		

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



HRS DRAWING FOR REFERENCE

Notes ⑤ 1 tube : 12 connectors.


HRS	DRAWING NO.	EDC-150894-91-21
	PART NO.	FX8C-120S-SV5(91)
	CODE NO.	CL578-0826-3-91
		2/3

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


【 Precaution 】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK



NG



HRS	DRAWING NO.	EDC-150894-91-21
	PART NO.	FX8C-120S-SV5(91)
	CODE NO.	CL578-0826-3-91
		3/3