GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-MONO-14(R)	Rev B	
Fax (201) 784-0111			

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions ( <a href="http://en.globtek.com/terms-and-conditions/">http://en.globtek.com/terms-and-conditions/</a>).

Prop 65 Statement: <a href="https://en.globtek.com/prop-65-statement.pdf">https://en.globtek.com/prop-65-statement.pdf</a>

## Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

## Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-MONO-14(R)	Rev B
Fax (201) 784-0111		

## **REVISION HISTORY**


REV	DESCRIPTION	SUB	DATE	APPROVED
В	Restore drawing	QA	07/21/2021	QA
А	Initial release	DR	07/27/2020	DAVID

AGENCY UNLINE DUCUMENTS	Y ONLINE DOCUMENTS
-------------------------	--------------------

RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t3a000004vfkOAAQ
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf
Prop 65 Statement	https://en.globtek.com/prop-65-statement.pdf


IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. T Male plug, 3.5mm x 14mm

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-MONO-14(R)	Rev B
Fax (201) 784-0111		



## Packaging:

- 1. Qty: 50 pcs per PE Vacuum Sealed bag.
- 2. Bag Dimensions: 200\*110 mm



Mates with: MJ-3523-SMT-TR, MJ-3523-SMT-TR, MJ-3523-SMT-TR, MJ-3523-SMT-TR, MJ-3502N, MJ-3502, 142AX, MJ-3536N, RCJ-2234, MJ-3536NG, RCJ-026, RCJ-021, RCJ-2123, RCJ-2223, RCJ-024, MR-3501, MJ1-3510-SMT-TR, MJ1-3510-SMT-TR, MJ1-3510-SMT-TR, 50-00037, RCJ-2121, 35RASMT2AHNTRX, 35RASMT2AHNTRX, RCJ-022, 35RASMT2AHNTRX, 35RAPC2AV

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-MONO-14(R)	Rev B
Fax (201) 784-0111		

Packing Spec P/N:		
Box Qty:	1000	
Gift Box Size (mm):		
Gift Box Color:	White	
Master Carton Size (mm):	TBD	
Master Carton Cubic Volume (m³):	0.00	
Master GW (Kg):	kg	
wt Ea. (Kg):	kg	
wt Ea. (Kg):	kg	
LABEL SPECS: ,		
PACK SPEC:		