



Insulated cross-connector, No. of poles: 7, Mounting type: Plug in, Width: 35.6 mm, Colour: Yellow

RAL: 1026

Business data

| Article number | <u>3467.8</u> |
|--|---------------------------|
| Article name | FQI 2,5/7 YE |
| GTIN (EAN) | 4044211110789 |
| Packaging unit | 20 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 4.6 g |
| Weight per piece (including packaging) | 4.7 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | CZ |
| Prio-Article | 3467.8 |
| Product description | Insulated cross-connector |



Technical data

| Dimensions | |
|----------------------------------|---------------------|
| Length | 4 mm |
| Width | 35.6 mm |
| Pitch size | 5.1 mm |
| Ratings | |
| Max. voltage | 800 V |
| Rated current | 24 A |
| Current load, max. | 24 A |
| Rated cross-section | 2.5 mm ² |
| Connection data | |
| No. of poles | 7 |
| Materials | |
| Material | Copper |
| Surface | Tin-nickel |
| Insulation housing | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |
| Further technical data | |
| Mounting type | Plug in |
| Insulation available | \checkmark |
| Touch protection is available | \checkmark |
| Number of bridged terminals | 7 |
| Environmental Product Compliance | |
| REACH Conform | Yes |
| REACH Candidate Substance Note | No |
| RoHS Conform | Yes |

Media





Accessories

| | | rminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m | | • • • |
|---|---|--|--|--|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3230.2 | FRKD 2,5/D1 BG | 4044211130091 | 100 |
| Î | | rminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m | - | 0 11 |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3237.2 | FRKD 2,5/LED1(RD) 24V DC BG | 4044211131876 | 100 ST |
| | Article number | S 35/7.5, Rated cross-section: 2.5 m Article name | GTIN (EAN) | Packaging unit |
| | Article number | Article name | GTIN (EAN) | |
| | 2020.0 | | 4044211121882 | 100 ST |
| | 3238.2 | FRKD 2,5/LED2(RD) 24V DC BG | 4044211131883 | 100 ST |
| | Double-level te | FRKD 2,5/LED2(RD) 24V DC BG rminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m | Push-in connection, Mour | nting type: |
| | Double-level te | rminal with electronic components, F | Push-in connection, Mour | nting type: ur: Beige |
| | Double-level te Mounting rail T | rminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m | ² ush-in connection, Mour nm², Width: 5.1 mm, Colo | nting type: ur: Beige Packaging |
| | Double-level te Mounting rail T Article number 3253.2 Double-level te | rminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m Article name | Push-in connection, Mour nm², Width: 5.1 mm, Colo GTIN (EAN) 4044211131838 Push-in connection, Mour | nting type: ur: Beige Packaging unit 100 ST |
| | Double-level te Mounting rail T Article number 3253.2 Double-level te | erminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m Article name FRKD 2,5/D2 BG | Push-in connection, Mour nm², Width: 5.1 mm, Colo GTIN (EAN) 4044211131838 Push-in connection, Mour | nting type: ur: Beige Packaging unit 100 ST |
| | Double-level te Mounting rail T Article number <u>3253.2</u> Double-level te Mounting rail T | erminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m Article name FRKD 2,5/D2 BG erminal with electronic components, F S 35/7.5, Rated cross-section: 2.5 m | Push-in connection, Mour nm², Width: 5.1 mm, Colo GTIN (EAN) 4044211131838 Push-in connection, Mour nm², Width: 5.1 mm, Colo | nting type: ur: Beige Packaging unit 100 ST nting type: ur: Beige Packaging |
| | Double-level te Mounting rail T Article number 3253.2 Double-level te Mounting rail T Article number 3254.2 Double-level te | Article name FRKD 2,5/D2 BG FRKD 2,5/D2 RG FRKD 2,5/D2 RG | Push-in connection, Mour m ² , Width: 5.1 mm, Colo GTIN (EAN) 4044211131838 Push-in connection, Mour m ² , Width: 5.1 mm, Colo GTIN (EAN) 4044211131845 Push-in connection, Mour | nting type: ur: Beige Packaging unit 100 ST nting type: ur: Beige Packaging unit 100 ST |

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3255.2 | FRKD 2,5/D4 BG | 4044211131852 | 100 ST |



| | erminal with electronic components, F TS 35/7.5, Rated cross-section: 2.5 m | | 0 11 | |
|----------------|---|-----------------------|-------------------|--|
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3256.2 | FRKD 2,5/D5 BG | 4044211131869 | 100 ST | |
| | Fuse-disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige | | | |
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3268.2 | FTRK 2,5/3A/ZS BG | 4044211138011 | 100 | |
| | , Push-in connection, Mounting type: m², Width: 5.1 mm, Colour: Beige | Mounting rail TS 35/7 | | |
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3257.2 | FTRK 2,5/2A/OT BG | 4044211137687 | 100 | |
| | ade terminal, Push-in connection, Mo ection: 2.5 mm², Width: 5.1 mm, Colc | •••• | rail TS 35/7.5, | |
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3259.2 | FTRK 2,5/2A/MT BG | 4044211137748 | 100 | |
| | ade terminal, Push-in connection, Mo ection: 2.5 mm², Width: 5.1 mm, Colc | •••• | rail TS 35/7.5, | |
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3260.2 | FTRK 2,5/3A/MT BG | 4044211137779 | 100 | |
| | ect terminal, Push-in connection, Mou ection: 2.5 mm², Width: 5.1 mm, Colc | • • • • | ail TS 35/7.5, | |
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3263.2 | FTRK 2,5/2A/ZS BG | 4044211137847 | 100 | |
| | , Push-in connection, Mounting type: m², Width: 5.1 mm, Colour: Beige | Mounting rail TS 35/7 | .5, Rated cross | |

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3258.2 | FTRK 2,5/3A/OT BG | 4044211137717 | 100 |



| Disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige | | | |
|---|---|---|---|
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3261.2 | FTRK 2,5/2A/ST BG | 4044211137809 | 100 |
| | minal, Push-in connection, Mou 2.5 mm², Width: 5.1 mm, Colou | • • • | 35/7.5, Rated |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3262.2 | FTRK 2,5/3A/ST BG | 4044211137823 | 100 |
| | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 | • • • • • | Nounting rail T |
| Article number | Article name | GTIN (EAN) | Packaging |
| | | | unit |
| 3295.2 | FIK 2,5/3 BG | 4044211190095 | 100 ST |
| Initiator termin | FIK 2,5/3 BG al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 | onnection, Mounting type: N | 100 ST Aounting rail T |
| Initiator termin | al / actuator terminal, Push-in co | onnection, Mounting type: N | 100 ST |
| Initiator termin 35/7.5, Rated | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 | onnection, Mounting type: N 5.1 mm, Colour: Beige | 100 ST Aounting rail T Packaging |
| Initiator termin 35/7.5, Rated Article number <u>3296.2</u> Double-level te | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 Article name | onnection, Mounting type: N 5.1 mm, Colour: Beige GTIN (EAN) 4044211190118 Junting type: Mounting rail T | 100 ST Mounting rail T Packaging unit 100 ST |
| Initiator termin 35/7.5, Rated Article number <u>3296.2</u> Double-level te | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 Article name FIK 2,5/3/LED(RD) BG erminal, Push-in connection, Mo | onnection, Mounting type: N 5.1 mm, Colour: Beige GTIN (EAN) 4044211190118 Junting type: Mounting rail T | 100 ST Mounting rail T Packaging unit 100 ST |
| Initiator termin 35/7.5, Rated Article number 3296.2 Double-level te cross-section: | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 Article name FIK 2,5/3/LED(RD) BG erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou | onnection, Mounting type: N 5.1 mm, Colour: Beige GTIN (EAN) 4044211190118 unting type: Mounting rail T r: Beige | 100 ST Mounting rail T Packaging unit 100 ST TS 35/7.5, Rate Packaging |
| Initiator termin 35/7.5, Rated Article number 3296.2 Double-level te cross-section: Article number 3227.2 Double-level te | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 Article name FIK 2,5/3/LED(RD) BG erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5/SV BG erminal connected vertically with punting type: Mounting rail TS 3 | onnection, Mounting type: N 5.1 mm, Colour: Beige GTIN (EAN) 4044211190118 ounting type: Mounting rail T r: Beige GTIN (EAN) 4044211130060 | 100 ST Mounting rail T Packaging unit 100 ST TS 35/7.5, Rate Packaging unit 100 |
| Initiator termin 35/7.5, Rated Article number 3296.2 Double-level te cross-section: Article number 3227.2 Double-level te connection, Me | al / actuator terminal, Push-in co cross-section: 2.5 mm², Width: 5 Article name FIK 2,5/3/LED(RD) BG erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5/SV BG erminal connected vertically with punting type: Mounting rail TS 3 | onnection, Mounting type: N 5.1 mm, Colour: Beige GTIN (EAN) 4044211190118 ounting type: Mounting rail T r: Beige GTIN (EAN) 4044211130060 | 100 ST Mounting rail T Packaging unit 100 ST TS 35/7.5, Rate Packaging unit 100 |



| Article number | Article name | GTIN (EAN) | Packagin unit |
|---|---|---|--|
| 3206.2 | FRKD 2,5/3A BG | 4044211206970 | 50 |
| | erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou | • • • • | ⁻ S 35/7.5, Ra |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3207.2 | FRKD 2,5/3A/SV BG | 4044211207007 | 50 |
| Double-level te Colour: Beige | erminal, Push-in connection, Mc | ounting type: Mounting rail 1 | S 35/7.5, |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| | | | |
| <u>3219.2</u> Double-level te | FRKD 2,5/3A/SV MI BG | 4044211209957 | 50 ST |
| Double-level te | FRKD 2,5/3A/SV MI BG erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou Article name | ounting type: Mounting rail 1 | ⁻ S 35/7.5, Ra |
| Double-level te | erminal, Push-in connection, Mo 2.5 mm², Width: 5.1 mm, Colou | ounting type: Mounting rail 1 ir: Beige | S 35/7.5, Ra Packaging |
| Double-level te cross-section: Article number <u>3226.2</u> Double-level te | erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name | ounting type: Mounting rail T Ir: Beige GTIN (EAN) 4044211130053 Dounting type: Mounting rail T | S 35/7.5, Ra Packaging unit 100 |
| Double-level te cross-section: Article number <u>3226.2</u> Double-level te cross-section: | erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5 BG erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou | ounting type: Mounting rail T GTIN (EAN) 4044211130053 ounting type: Mounting rail T ir: Beige | S 35/7.5, Ra Packaging unit 100 S 35/7.5, Ra Packaging |
| Double-level te cross-section: Article number 3226.2 Double-level te cross-section: Article number 3228.2 Double-level te | erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5 BG erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name | ounting type: Mounting rail T GTIN (EAN) 4044211130053 ounting type: Mounting rail T r: Beige GTIN (EAN) 4044211130077 ounting type: Mounting rail T | TS 35/7.5, Ra Packaging unit 100 TS 35/7.5, Ra Packaging unit 50 ST |
| Double-level te cross-section: Article number 3226.2 Double-level te cross-section: Article number 3228.2 Double-level te | erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5 BG erminal, Push-in connection, Mc 2.5 mm², Width: 5.1 mm, Colou Article name FRKD 2,5/Z BG erminal, Push-in connection, Mc | ounting type: Mounting rail T GTIN (EAN) 4044211130053 ounting type: Mounting rail T r: Beige GTIN (EAN) 4044211130077 ounting type: Mounting rail T | TS 35/7.5, Ra Packaging unit 100 TS 35/7.5, Ra Packaging unit 50 ST |



##INVERSE##CONTA-CONNECT



##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3230.2 | FRKD 2,5/D1 BG | 4044211130091 | 100 |



##INVERSE##CONTA-CONNECT

| Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige | | | | |
|--|----------------|---------------|-------------------|--|
| Article number | Article name | GTIN (EAN) | Packaging unit | |
| 3253.2 | FRKD 2,5/D2 BG | 4044211131838 | 100 ST | |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|-------------------|
| 3238.2 | FRKD 2,5/LED2(RD) 24V DC BG | 4044211131883 | 100 ST |