









10 9 8 7 6 5 4 3 2 1



NOTE:
 1.MATERIAL:
 HOUSING: LCP, 30% GLASS-FILLED, UL 94V-0, COLOR :BLACK
 TERMINAL: 0.20MM PHOSPHOR BRONZE.

2.FINISH:
 CONTACT AREA: 0.75 MICRON GOLD MIN OVER 1.25 MICRON NICKEL MIN.
 SOLDER AREA: 3.75 MICRON PURE TIN MIN OVER 1.25 MICRON NICKEL
 MIN.REST AREA: 1.25 MICRON NICKEL MIN.
 3.COPLANARITY: 0.1 MAX AMONG THESE SOLDER TAILS.
 4.PRODUCT SPECIFICATION REFER TO PS-47103-001
 5.PACKAGE REFER TO PK-47103-001
 6.WORKING HEIGHT : 2.65MM REFERENCE
 7.CONNECTOR KEEP-OUT ZONE

DRAWING UPDATE EC NO: S2012-0173 DRWN:LKCHEW CHKD:LING APPR:SHONG	2011/09/16	2011/10/27	2011/10/27
	DESCRIPTION		
QUALITY SYMBOLS	▽=0	∇=0	

GENERAL TOLERANCES (UNLESS SPECIFIED)	mm	INCH	
	4 PLACES	± ---	± ---
	3 PLACES	± ---	± ---
	2 PLACES	± 0.15	± ---
	1 PLACE	± 0.20	± ---
ANGULAR ± 2 °			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			

DIMENSION STYLE MM ONLY	
DRAWN BY SSUN	DATE 2005/09/12
CHECKED BY YJWU	DATE 2005/09/12
APPROVED BY GARY CHEN	DATE 2005/09/12
MATERIAL NO. 473270001	

SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE 2.0MM PITCH 4 CIRCUITS BATTERY CONNECTOR		
MOLEX INCORPORATED		SHEET NO. 1 OF 1
DOCUMENT NO. SD-47327-001		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

9 8 7 6 5 4 3 2 1