



(images/product/EMAX Servo.jpg)

EMAX 9g ES08A High Sensitive Mini Servo

SKU: 108090000



WIO LINK is LIVE at Kickstarter!

(https://www.kickstarter.com/projects/seeed/wio-link-3-steps-5-minutes-build-your-iot-applicat/description?ref=banner_depot)

Description

This EMAX servo is an entry level servo for beginners who like to enjoy servo controlling fun. This product includes a full set of common shafts as shown in the pictures, great for small

mechatronic projects. But if you already have a Grove system and like a more prompt plug-and-play experience, check out Grove - Servo (http://www.seeedstudio.com/depot/grove-servo-p-1241.html?cPath=170_171) we have.

<u>Mini SERVO (ES08A) SERIES</u>		
SERVO ES08A SPECIFICATIONS		
Operating Voltage:		4.8~6.0V
STD Direction:		Counter Clockwise / Pulse Traveling 1500 to 1900usec
Stall Torque:	4.8V	1.5 Kgf.cm(21.0 oz.in)
Operating Speed:	4.8V	0.12 Sec/60° at no load
Stall Torque:	6.0V	1.8 Kgf.cm(25.2 oz.in)
Operating Speed:	6.0V	0.10 Sec/60° at no load
Size:		23X11.5X24 mm
Weight:		8.5 g(0.31 oz)
Plug Available		FUT ;JR
Other		Analog,Plastics

Kit include: Servos Horns x3 & Screw x3

Overview



(<http://www.seeedstudio.com/depot/Robotics-t-4.html?ref=pinfo>)

Other Products
From This
Designer



(<http://www.seeedstudio.com/depot/Shenzhen-2U-t-11.html?ref=pinfo>)



(<http://www.seeedstudio.com/depot/Maker-Pro-t-1672.html?ref=pinfo>)

(<http://www.seeedstudio.com/depot/Others-m-24.html?ref=pinfo>)

Weight: 9 g