Product data sheet

Specifications





Limit switch head, Limit switches XC Standard, ZCE, M12 metal end plunger

ZCEF0

Ν	V	1	а	ı	r

Series name Standard format		
Device short name ZCE	Range of product	Telemecanique Limit switches XC Standard
Device short name ZCE	Series name	Standard format
M12 plunger head	Product or component type	Limit switch head
Product compatibility XCKT XCKP XCMD XCKD Associated body ZCMD29C12 ZCMD81L5 ZCMD39L5 ZCMD37L2 ZCMD37L2 ZCMD37L5 ZCMD37L2 ZCMD39L2 ZCMD39L1 ZCMD25L1 ZCMD25L1 ZCMD25L1 ZCMD25L5 ZCMD21L5 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD21L1 ZCMD21L2 ZCMD21L1 ZCMD25L5 ZCMD21L1 ZCMD21L08U78 Movement of operating head Linear	Device short name	ZCE
XCKP XCMD XCKD Associated body ZCMD29C12 ZCMD81L5 ZCMD39L5 ZCMD37L2 ZCMD69C12 ZCMD71L08C12 ZCMD21L08R12 ZCMD21L08R12 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21C12 ZCMD21C12 ZCMD21C12 ZCMD21C12 ZCMD21L1 ZCMD21L1 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD21L1 ZCMD21L08U78	Head type	M12 plunger head
ZCMD81L5 ZCMD37L2 ZCMD69C12 ZCMD69C12 ZCMD37L5 ZCMD21L08R12 ZCMD39L2 ZCMD39L1 ZCMD39L1 ZCMD41L2 ZCMD61M12 ZCMD25L1 ZCMD41L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD25L5 ZCMD21C12 ZCMD61C12 ZCMD61C12 ZCMD61C12 ZCMD81L2 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L2 ZCMD81L1 ZCMD81L2 ZCMD81L2 ZCMD81L1 ZCMD21M12 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L1 ZCMD21M12 ZCMD21L1 ZCMD21M12 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L08U78	Product compatibility	XCKP XCMD
	Associated body	ZCMD81L5 ZCMD39L5 ZCMD37L2 ZCMD69C12 ZCMD37L5 ZCMD21L08R12 ZCMD39L1 ZCMD25L1 ZCMD41L2 ZCMD41L2 ZCMD41L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L5 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L2 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD29L5 ZCMD29L5 ZCMD29L5 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD21L2 ZCMD81L1 ZCMD21M12 ZCMD21M12 ZCMD81L1 ZCMD21M12 ZCMD81L1 ZCMD21L1 ZCMD81L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1
Type of operator End plunger spring return metal	Movement of operating head	Linear
	Type of operator	End plunger spring return metal

Complementary

Type of approach

Positive opening With

Vertical approach, 1 direction

_		_			
F	nv	iro	nn	nΔ	nt

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	3.3 cm
Package 1 Length	1.5 cm
Package 1 Weight	31.0 g

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Contractual warranty

Warranty 18 months

Recommended replacement(s)