




Quick Start Guide

GETTING TO KNOW YOUR DATA LOGGER



INSTALLING YOUR BATTERY

The EL-USB-ACT is supplied with two AA batteries fitted. To begin use the battery tab must be removed as shown below.



USING THE SOFTWARE

Windows™ 7/8/10 (32 & 64bit)


Visit www.easylogusb.com and click 'Download'.

Connect the data logger to an available USB port on your PC via the mini-USB cable provided.

Double click on the EasyLog USB icon on your Windows™ desktop. This will load the configuration software. Click 'Set up and start the USB data logger' and follow the set-up wizard. When setup is complete, the data logger should be removed from the USB port.




You can also download the data from a logger that has been recording or view previously saved data from the software.



SELECTING A CURRENT CLAMP

The EL-USB-ACT is compatible with most current clamps which output an AC or DC mV signal proportional to the amount of current the clamp is detecting. It is advisable to select a current clamp which features 4mm banana plugs for quick connection to the EL-USB-ACT; otherwise banana plugs must be manually fitted in order to connect to the data logger.

Please note that the maximum output voltage from the clamp should not exceed 723V a.c. or 1000mV d.c.; an input to the data logger above these values may damage the data logger. If you are unsure of your choice of current clamp, please contact Lascar for advice.



For a full product datasheet for your data logger
or for more information on the rest of the EasyLog range visit
www.lascarelectronics.com/data-loggers

Temperature



Event, State & Count



Temperature/
Relative Humidity



Thermocouple



Voltage



Carbon Monoxide



Current



Thermistor



IMPORTANT SAFETY INFORMATION



Repairing or Modifying

Never attempt to repair or modify Lascar products. Dismantling them, other than for the purpose of changing replaceable batteries, may cause damage that is not covered under the warranty. Servicing should only be provided by an authorized supplier.



Disposal and Recycling Information

You must dispose of Lascar products in accordance with relevant laws and regulations. They contain electronic components and lithium batteries and therefore must be disposed of separately from household waste.

UK T +44 (0) 1794 884567
E sales@lascar.co.uk

USA T +1 (814) 835-0621
E us-sales@lascarelectronics.com

HK T +852 2389 6502
E sales@lascar.com.hk

 **EasyLog** www.lascarelectronics.com/data-loggers

Iss 4_06-2019

Disclaimer:

Every effort has been made to ensure the accuracy of this publication and no responsibility or liability can be accepted by Lascar Electronics Limited for any errors or omissions in the content of this document. Data and legislation may change, and so we strongly advise you to obtain and review the most recently issued regulations, standards, and guidelines. This publication does not form the basis of a contract.