



External insulated cross-connector, No. of poles: 4, Mounting type: Plug in, Width: 19.46 mm, Rated current: 27 A; Colour: Yellow

RAL: 1026

Business data

Article number	<u>2044.0</u>
Article name	AQI 4/5/11 YE
GTIN (EAN)	4044211048495
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	1.16 g
Weight per piece (including packaging)	1.17 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	External insulated cross-connector
Colour	Yellow



Technical data

Dimensions	
Width	19.46 mm
Pitch size	5 mm
Ratings	
Rated current	27 A
Contamination degree	3
Connection data	
No. of poles	4
Materials	
Material	Copper
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	4
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

Media




ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

	-	cross-section: 2.5 mm ² , Colour: I	onnection, Mounting type: M Beige	ounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1337.2	BKA 2,5/3 e.B. BG	4044211043858	50 ST
and the second s		erminal for direct mount, Screw c cross-section: 2.5 mm², Colour: I	C 1	ounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST
		erminal for direct mount, Screw c		ounting
1245613	surface, Rated	cross-section: 2.5 mm ² , Colour: E	Beige	
Marian Marian	surface, Rated	cross-section: 2.5 mm ² , Colour: E	GTIN (EAN)	Packaging unit
the state				
	Article number 1349.2 Feed-through t	Article name	GTIN (EAN) 4044211043971 onnection, Mounting type: M	unit 10 ST
	Article number 1349.2 Feed-through t	Article name BKA 2,5/20 e.B. BG erminal for direct mount, Screw c	GTIN (EAN) 4044211043971 onnection, Mounting type: M	unit 10 ST
	Article number 1349.2 Feed-through t surface, Rated	Article name BKA 2,5/20 e.B. BG cerminal for direct mount, Screw c cross-section: 2.5 mm ² , Colour: B	GTIN (EAN) 4044211043971 onnection, Mounting type: M Beige	unit 10 ST ounting Packaging
	Article number 1349.2 Feed-through t surface, Rated Article number 1362.2 Feed-through t	Article name BKA 2,5/20 e.B. BG cerminal for direct mount, Screw c cross-section: 2.5 mm ² , Colour: E Article name	GTIN (EAN) 4044211043971 onnection, Mounting type: M Beige GTIN (EAN) 4044211044107 onnection, Mounting type: M	unit 10 ST ounting Packaging unit 20 ST
	Article number 1349.2 Feed-through t surface, Rated Article number 1362.2 Feed-through t	Article name BKA 2,5/20 e.B. BG cerminal for direct mount, Screw c cross-section: 2.5 mm ² , Colour: E Article name BKA 2,5/16 b.B. BG	GTIN (EAN) 4044211043971 onnection, Mounting type: M Beige GTIN (EAN) 4044211044107 onnection, Mounting type: M	unit 10 ST ounting Packaging unit 20 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1348.2	BKA 2,5/18 e.B. BG	4044211043964	20 ST



##INVERSE##CONTA-CONNECT

1.561.8	surface, Rated	I cross-section: 2.5 mm ² , Colour: Be	nnection, Mounting type eige	. Wounting
ILA PROPERTY	Article number	Article name	GTIN (EAN)	Packaging unit
*	1356.2	BKA 2,5/8 b.B. BG	4044211044046	20
	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	0.11	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1357.2	BKA 2,5/10 b.B. BG	4044211044053	20 ST
	0	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be		Ŭ
	Article number	Article name	GTIN (EAN)	Packaging unit
	1323.2	BKA 2,5/4 BG	4044211043278	50 ST
	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm ² , Colour: Be Article name	0.11	Packaging
			•••••(=/•••)	unit
	1324.2	BKA 2,5/5 BG	4044211043360	
	Feed-through	BKA 2,5/5 BG terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	4044211043360	unit 50 ST
	Feed-through	terminal for direct mount, Screw cor	4044211043360	unit 50 ST
	Feed-through surface, Rated	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	4044211043360 nnection, Mounting type	unit 50 ST : Mounting Packaging
	Feed-through surface, Rated Article number 1334.2 Feed-through	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name	4044211043360 nnection, Mounting type eige GTIN (EAN) 4044211043827 nnection, Mounting type	unit 50 ST :: Mounting Packaging unit 10 ST
	Feed-through surface, Rated Article number 1334.2 Feed-through	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name BKA 2,5/20 BG terminal for direct mount, Screw cor	4044211043360 nnection, Mounting type eige GTIN (EAN) 4044211043827 nnection, Mounting type	unit 50 ST :: Mounting Packaging unit 10 ST
	Feed-through surface, Rated Article number 1334.2 Feed-through surface, Rated	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name BKA 2,5/20 BG terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	4044211043360 nnection, Mounting type eige GTIN (EAN) 4044211043827 nnection, Mounting type eige	unit 50 ST :: Mounting Packaging unit 10 ST :: Mounting Packaging
	Feed-through surface, Rated Article number 1334.2 Feed-through surface, Rated Article number 1326.2 Feed-through	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name BKA 2,5/20 BG terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name	4044211043360 nnection, Mounting type eige GTIN (EAN) 4044211043827 nnection, Mounting type eige GTIN (EAN) 4044211043568	unit 50 ST Mounting Packaging unit 10 ST Mounting Packaging unit 20 ST

1331.2

BKA 2,5/15 BG

4044211043797

20 ST



##INVERSE##CONTA-CONNECT

(111)	•	terminal for direct mount, Screw d cross-section: 2.5 mm², Colour:	• • • •	e: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
*	1333.2	BKA 2,5/18 BG	4044211043810	20 ST
	•	terminal for direct mount, Screw d cross-section: 2.5 mm², Colour:	• • • •	e: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1360.2	BKA 2,5/14 b.B. BG	4044211044084	20 ST
	•	terminal for direct mount, Screw d cross-section: 2.5 mm², Colour:	• • • •	e: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1361.2	BKA 2,5/15 b.B. BG	4044211044091	20 ST
	•	terminal for direct mount, Screw d cross-section: 2.5 mm ² , Colour: Article name	• • • •	e: Mounting Packaging unit
	1363.2	BKA 2,5/18 b.B. BG	4044211044114	20 ST
	0	terminal for direct mount, Screw d cross-section: 2.5 mm ² , Colour: Article name		Packaging
	1365.2	BKA 2,5/24 b.B. BG	4044211044138	unit 10 ST
	Feed-through surface, Rated	terminal for direct mount, Screw d cross-section: 2.5 mm², Colour:	connection, Mounting type Beige	
	Article number	Article name	GTIN (EAN)	unit
	<u>1325.2</u>	BKA 2,5/6 BG	4044211043476	50 ST
	•	terminal for direct mount, Screw d cross-section: 2.5 mm², Colour:	• • • •	e: Mounting
ine main	Article number	Article name	GTIN (EAN)	Packaging

Article number	Article name	GTIN (EAN)	unit
1329.2	BKA 2,5/13 BG	4044211043773	20 ST



##INVERSE##CONTA-CONNECT

		cross-section: 2.5 mm ² , Colour: Be	eige	
	Article number	Article name	GTIN (EAN)	Packaging unit
-	1344.2	BKA 2,5/13 e.B. BG	4044211043926	20 ST
	0	terminal for direct mount, Screw con I cross-section: 2.5 mm², Colour: Be	0.11	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1347.2	BKA 2,5/16 e.B. BG	4044211043957	20 ST
	•	terminal for direct mount, Screw con I cross-section: 2.5 mm², Colour: Be	• • • •	
	Article number	Article name	GTIN (EAN)	Packaging unit
	1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST
	•	terminal for direct mount, Screw con d cross-section: 2.5 mm ² , Colour: Be Article name	• • • •	: Mounting Packaging unit
No.	1335.2	BKA 2,5/24 BG	4044211043834	10 ST
	•	terminal for direct mount, Screw con d cross-section: 2.5 mm², Colour: Be	• • • • •	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name BKA 2,5/4 e.B. BG	GTIN (EAN) 4044211043865	
	<u>1338.2</u> Feed-through		4044211043865 nnection, Mounting type	unit 50
	<u>1338.2</u> Feed-through	BKA 2,5/4 e.B. BG terminal for direct mount, Screw co	4044211043865 nnection, Mounting type	unit 50
	1338.2 Feed-through surface, Rated	BKA 2,5/4 e.B. BG terminal for direct mount, Screw con d cross-section: 2.5 mm ² , Colour: Be	4044211043865 nnection, Mounting type eige	unit 50 : Mounting Packaging
	1338.2Feed-through surface, RatedArticle number1346.2Feed-through	BKA 2,5/4 e.B. BG terminal for direct mount, Screw con d cross-section: 2.5 mm², Colour: Be Article name	4044211043865 nnection, Mounting type eige GTIN (EAN) 4044211043940 nnection, Mounting type	unit 50 : Mounting Packaging unit 20 ST

1351.2

BKA 2,5/2 b.B. BG

Subject to technical changes

4044211043995

50 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST
111111	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	• • • • •	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1354.2	BKA 2,5/5 b.B. BG	4044211044022	50 ST
a la	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be		: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1359.2	BKA 2,5/13 b.B. BG	4044211044077	20 ST
	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm ² , Colour: Be Article name		Packaging
	1321.2	BKA 2,5/2 BG	4044211043070	unit 50 ST
	•	terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	••••	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
THE PROPERTY	Article number	Article name BKA 2,5/14 BG	GTIN (EAN) 4044211043780	
	<u>1330.2</u> Feed-through		4044211043780	unit 20 ST
	<u>1330.2</u> Feed-through	BKA 2,5/14 BG terminal for direct mount, Screw cor	4044211043780	20 ST
	1330.2 Feed-through surface, Ratec Article number	BKA 2,5/14 BG terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be Article name	4044211043780 nnection, Mounting type	unit 20 ST : Mounting Packagi
	<u>1330.2</u> Feed-through surface, Rated Article number <u>1339.2</u> Feed-through	BKA 2,5/14 BG terminal for direct mount, Screw cor I cross-section: 2.5 mm², Colour: Be	4044211043780 nnection, Mounting type eige GTIN (EAN) 4044211043872 nnection, Mounting type	unit 20 ST : Mounting Packagin unit 50 ST

Article number	Article name	GTIN (EAN)	Packaging unit
1327.2	BKA 2,5/10 BG	4044211043650	20 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	1332.2	BKA 2,5/16 BG	4044211043803	20 ST
	0	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour	0,11	: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
*	1345.2	BKA 2,5/14 e.B. BG	4044211043933	20 ST
THURN	0	terminal for direct mount, Screw l cross-section: 2.5 mm², Colour	0,11	Ū
	Article number	Article name	GTIN (EAN)	Packaging unit
	1350.2	BKA 2,5/24 e.B. BG	4044211043988	10 ST
		DICA 2,3/24 6.D. DO	4044211045900	10.31
THUM	Feed-through	terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour	connection, Mounting type	
	Feed-through	terminal for direct mount, Screw	connection, Mounting type	: Mounting
	Feed-through surface, Rated	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour	connection, Mounting type : Beige	: Mounting Packaging
	Feed-through to surface, Rated Article number 1328.2 Ex feed-throug	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour Article name	Connection, Mounting type Beige GTIN (EAN) 4044211043742 X-certified, Screw connecti	: Mounting Packaging unit 20 ST on, Mounting
	Feed-through to surface, Rated Article number 1328.2 Ex feed-throug	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE	Connection, Mounting type Beige GTIN (EAN) 4044211043742 X-certified, Screw connecti	: Mounting Packaging unit 20 ST on, Mounting pur: Beige
	Feed-through t surface, Rated Article number 1328.2 Ex feed-throug type: Mounting	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE g surface, Rated cross-section: 2	GTIN (EAN) 4044211043742 X-certified, Screw connecti 2.5 mm², Width: 5 mm, Colo	: Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging
	Feed-through to surface, Rated Article number 1328.2 Ex feed-throug type: Mounting Article number 1405.2 Feed-through to	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE g surface, Rated cross-section: 2 Article name	Connection, Mounting type Beige GTIN (EAN) 4044211043742 X-certified, Screw connecti 2.5 mm², Width: 5 mm, Colo GTIN (EAN) 4044211044527	: Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging unit 100
	Feed-through to surface, Rated Article number 1328.2 Ex feed-throug type: Mounting Article number 1405.2 Feed-through to	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour Article name BKA 2,5/12 BG th terminal for direct mount ATE surface, Rated cross-section: 2 Article name BKA 2,5/1 Ex BG terminal for direct mount, Screw	Connection, Mounting type Beige GTIN (EAN) 4044211043742 X-certified, Screw connecti 2.5 mm², Width: 5 mm, Colo GTIN (EAN) 4044211044527	: Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging unit 100

Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1322.2	BKA 2,5/3 BG	4044211043186	50 ST



##INVERSE##CONTA-CONNECT

11111	Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
-	1341.2	BKA 2,5/8 e.B. BG	4044211043896	20 ST
111111	•	terminal for direct mount, Screw cor d cross-section: 2.5 mm², Colour: Be		: Mounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1352.2	BKA 2,5/3 b.B. BG	4044211044008	50 ST
	Feed-through	BKA 2,5/3 b.B. BG terminal for direct mount, Screw cor d cross-section: 2.5 mm ² , Colour: Be	nnection, Mounting type	
	Feed-through	terminal for direct mount, Screw cor	nnection, Mounting type	
	Feed-through surface, Ratec	terminal for direct mount, Screw cor d cross-section: 2.5 mm², Colour: Be	nnection, Mounting type eige	: Mounting Packaging
	Feed-through surface, Ratec Article number 1358.2 Feed-through	terminal for direct mount, Screw cor d cross-section: 2.5 mm², Colour: Be Article name	onnection, Mounting type eige GTIN (EAN) 4044211044060	Packaging unit 20 ST
	Feed-through surface, Ratec Article number 1358.2 Feed-through	terminal for direct mount, Screw cor d cross-section: 2.5 mm ² , Colour: Be Article name BKA 2,5/12 b.B. BG terminal for direct mount, Screw cor	onnection, Mounting type eige GTIN (EAN) 4044211044060	Packaging unit 20 ST

##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1329.2	BKA 2,5/13 BG	4044211043773	20 ST

##INVERSE##CONTA-CONNECT





##INVERSE##CONTA-CONNECT

	Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
*	1324.2	BKA 2,5/5 BG	4044211043360	50 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1357.2	BKA 2,5/10 b.B. BG	4044211044053	20 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST



##INVERSE##CONTA-CONNECT

	•	Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit	
*	1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST	

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1358.2	BKA 2,5/12 b.B. BG	4044211044060	20 ST