

Specification Sheet

Part Number: FSU20-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.50" (20mm) Dia, NPB Metal, 10/pkg

Article Number 166-90844

Type FSU20-E

Color Metal (ML)

Quantity Per pack

Product Description Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

Short Description HelaGuard Metallic Conduit End Cap Insert, Flexible 0.50" (20mm) Dia, NPB Metal, 10/pkg

Global Part Name FSU20-E-NPB/PVC-ML

Length L (Imperial) 0.91

Length L (Metric) 23.0

Height H (Imperial) 0.90

Height H (Metric) 22.9

Nominal Diameter (Imperial) 0.5

Nominal Diameter (Metric) 20

Material Polyvinylchloride (PVC) Nickel Plated Brass (NPB)

Material Shortcut NPB PVC

UV Resistant (Yes/No) No

Operating Temperature -148°F to +572°F (-100°C to +300°C)

Reach Compliant (Article 33) No

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number

7419805500

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)